

AMERICAN

NOVEMBER • 1952

# Cinematographer

THE MAGAZINE OF MOTION PICTURE PHOTOGRAPHY

THEATRE  
TELEVISION  
INDUSTRIAL  
AMATEUR




by Nick Mace

- Cinemascope—What It Is And How It Works
- Set Lighting For Best TV Film Results
- Beating The Variable Frame-line Bugaboo

25c

\$4.00 YEARLY



## Set to shoot at "HIGH NOON"

Another popular Western on Du Pont "Superior" 2

"High Noon"—the superb Stanley Kramer production for United Artists starring Gary Cooper—is another of the year's outstanding pictures made on Du Pont Motion Picture Film.

On the set are Mr. Cooper, Director Fred Zinneman (seated in front of tripod), and the camera crew. The skillful lighting technique used by Director of Cinematography Floyd Crosby, A.S.C. (behind lens hood), helped make this drama a smashing success.

For any motion picture or television film requirement . . . whether you need a negative taking or positive stock, duplicating film, high-fidelity sound recording or special-purpose film . . . there's a dependable Du Pont product to do the job. Indoors or outdoors, with high- or low-key lighting, under the best or the most trying conditions, these films give you sharp, brilliant screen or kinescope pictures . . . top-quality sound recording. E. I. du Pont de Nemours & Co. (Inc.), Photo Products Department, Wilmington 98, Delaware.



*Du Pont Cinematography*

**DU PONT MOTION PICTURE FILM**

NEW YORK • LOS ANGELES • CHICAGO

BETTER THINGS FOR BETTER LIVING... THROUGH CHEMISTRY



**PERFECT PERFORMER.** Model 75-11 camera. Seven film speeds, governor controlled—three-lens turret with positive-type viewfinder system—shutter stabilizer—hand crank, rewired knob—adapted for external magazine and electric motor.



**TRUE PROFESSIONAL.** 2700-Special. Turret adapter of the 35mm camera—most popular with Hollywood film studios. Meets the needs of the television field. Four-lens turret automatically, 11 TTL Speed Panchro lenses. Pat on B&H Sound-picture film movement. 179 adjustment shutter with automatic or manual diaphragm. 200, 400- and 1000-foot B&H 35mm magazines may be adapted 35mm version also available. Model 2700-D.



**FAST, ACCURATE SPICER.** Automatic Film Splicing Machine. Built to very close tolerances to give quick, clean accurate splice strength in the film itself. Speedy, operation smooth, powerful and efficiency. Splices register on positive film. Reels and 35mm film.



**BRIGHT FOR TELEVISION USE.** 300—with pre-aligned lamp in new design, high intensity tungsten provides perfect light for printing any type of 35mm film, fine grain, black-and-white or color. Three-way aperture for continuous printing—sound and picture separately or both together. Maximum speed, 60 feet per minute. Other models available.

## Choice of professionals for—

**TELEVISION • NEWSREELS • INDUSTRIAL FILMS**

**F**OR more than 40 years the Bell & Howell name has stood for the finest among Hollywood experts. And today—for television and every other professional use—it is still the first choice of the men who know!

For further information about these and other B&H products for professional use write Bell & Howell Company, 7148 McCormick Road, Chicago 43.

### **GUARANTEED FOR LIFE**

During life of the product, any defects in workmanship or materials will be remedied free (except transportation).

You buy for a lifetime when you buy

# Bell & Howell

The most  
important man  
in our business  
is  
*You*....

The  
**Cinematographer**



*This emblem is your  
assurance of*

**CONTINUED  
FAITHFUL  
INTEREST**

*in your work*

**Consolidated**

**FILM INDUSTRIES**

929 N. SEWARD ST.  
PHONE NO 9-1441

**HOLLYWOOD'S  
ONLY COMPLETE**

**LABORATORY  
SERVICE**

AMERICAN

# Cinematographer

THE MAGAZINE OF MOTION PICTURE PHOTOGRAPHY  
PUBLICATION OF AMERICAN SOCIETY OF CINEMATOGRAPHERS

ARTHUR E. GAVIN, Editor

Technical Editor, EMMET HUSE

CLYDE E. KESSENER, Asst. Editor

Circulation, MARGARET DEWIS

EDITORIAL ADVISORY BOARD: Fred W. Jackson, A.S.C., John Arnold, A.S.C., Arthur Edson, A.S.C., Lee Garmes, A.S.C., Charles Rosher, A.S.C., Leon Sharkey, A.S.C., Fred Saps, A.S.C., Dr. L. A. Jones, A.S.C., Dr. C. E. K. Mees, A.S.C.

Editorial and Business Office: 1782 N. Orange St., Hollywood 28, Calif.  
Telephone: GRanite 2135

VOL 33

NOVEMBER • 1952

NO. 11

## CONTENTS

### ARTICLES

FROM FILM TECHNOLOGICAL PRIMER BY CINEMATOGRAPHERS—By Allen D. Roe	477
THE STEEL TRAP—By Arthur Rosson	478
AND NOW... CINEGRAMA—By John F. Boyle, ASC	483
WHY I USED THE GARCIA LENS IN FILMING "THE FOUR FORTIES"— By Mel Maly, ASC	482
VARIABLE SHUTTER FOR THE DECCA B-16—By Frederick Fennel	484
CAREFULLY BALANCE LIGHTING VITAL TO BEST TV FILM RESULTS— By Philip Tarrara, ASC	486

### AMATEUR CINEMATOGRAPHY

IS YOUR FRAME LINE SIPPING?—By Lee J. McFadden	488
AMATEUR'S MOUNTAIN FILM PROMOTES ANNUAL CONVENTION CHAIR DRIVE— By Fred D. Fleming, Jr.	493

### FEATURES

HOLLYWOOD BOLLARD BOARD	466
CLOSINGS—NOTES AND EDITORIAL COMMENTS BY THE EDITOR	470
CINEMATOGRAPHY REVIEWS—PICTURES PREMIERED LAST MONTH	472
TELEVISION FILM PRODUCTION—By Leigh Allen	487
CURRENT ASSIGNMENTS OF A.S.C. MEMBERS	502
WHAT'S NEW IN EQUIPMENT, ACCESSORIES, SERVICE	506

### ON THE COVER

THE PHOTOGRAPHER ON THE COVER shows the weekly Rosson and Allen television film, as seen by the players on the set. Director of Photography is Philip Tarrara, ASC, (in checkered shirt, background), who photographs the show with two Mitchell Cinema cameras mounted on "crab" dollies. To his right is producer-director Ralph Levy. Using overhead lighting, these lighting stage show of cables, Tarrara smooths out shadows on lower areas of sets through use of two phosphor lamps which serve as fill lights, shown here clamped in base of both camera dollies.—Photo by Bud Graybill.

AMERICAN CINEMATOGRAPHER, established 1919, is published monthly by the A. S. C. Agency, Inc., 1782 N. Orange St., Hollywood 28, Calif. Entered as second class matter May 28, 1933, at the postoffice at Los Angeles, Calif., under no. 459. POSTAGE PAID. Second-class postage paid at Los Angeles, Calif., and at additional mailing offices. Postmaster: Send address changes in advance. Second-class postage paid at Los Angeles, Calif., and at additional mailing offices. Postmaster: Send address changes in advance. Copyright 1952 by A. S. C. Agency, Inc.

the

and only...

**Mitchell** \*  
Professional Equipment for Professional Results

*World Famous*

*35mm and 35mm Cameras!*

For over 25 years, Mitchell Cameras have set professional photographic standards for the Motion Picture Industry. These flawlessly designed, ruggedly constructed cameras have proven themselves in smooth, positive operation under the most exacting conditions. Today, as yesterday, the World's greatest films depend upon Mitchell—professional equipment for truly professional results.



35mm PROFESSIONAL

The 35mm Professional has the 35mm lens and Mitchell 35mm features in being 35mm quality. It is a favorite of leading commercial producers for sound photography.



35mm 35C MODEL

The 35mm 35C Camera—designed equipped of major studios—is internationally known for dependability and performance. For superb photographs, Mitchell 35's are available in 35C 35mm—enough 35C and 35C models to meet every requirement.

**Mitchell Camera CORPORATION**

606 WEST HARVARD STREET • GLENDALE 4, CALIFORNIA • CABLE ADDRESS: "MITCAMCO"

LASTING REPRESENTATIVE: THEODORE ALTMAN • 531 FIFTH AVENUE • NEW YORK CITY 17 • MURRAY HILL 3-7648



...and the motion pictures shown in theaters everywhere the world are filmed with a Mitchell



## Results are Amazing with **GOERZ LENSES** for **MOVIES and TELEVISION**

In each of these exacting fields, imagination, experience and up-to-date photographic equipment are essential.

Cinematographers and Television camera men the world over recognize the vital importance of selecting the right lens for the right job. That's why many of them enthusiastically proclaim GOERZ precision photo lenses as the finest available.

Remember...your lens is the heart of your camera. Choose it wisely and treasure it always. In this regard we recommend:

**The APODOR ANASTIGMAT**  
F-2.3

Focal length: 35, 50, and 75 mm.

**The HYPAR WIDE ANGLE ANASTIGMAT**  
F-2.3

Focal length: 15 mm and longer

Whether your requirements are run-of-the-mill or something special, we are ready to serve you. For details, write Dept. AC-2.

**C. P. GOERZ AMERICAN**

**OFFICIAL IMPORTERS**

*Gillette and Corley*

332 EAST 24TH STREET

NEW YORK 10 N. Y.

# Hollywood Bulletin Board



HERBERT BARRETT (l.) succeeds Peter Mink, ASC, as president of SMPTE. Barrett is also President Corp. de V.P., Mink heads Mink-Richardson Co.

**TOM TUTWILER, ASC**, one of the industry's ace aerial cinematographers, while shooting air scenes for a sequence in a film for the "Terry and the Pirates" TV series, barely escaped what might have been a serious mid-air clash last month.

Shooting from a camera plane piloted by Paul Mantz, second plane which was being photographed suddenly swooped downward and beneath the camera plane, reportedly subverting the latter. Both planes lunged back to their respec-

tive airfields, despite moderate damage. Although seriously shaken up, none of the planes' occupants was injured.

**COL. HATHAN LEVINSON**, head of Warner Brothers' sound department, who died last month at the age of 64, was a member of the editorial board of the *American Cinematographer* magazine. With the advent of radio, he became internationally famous for his work in the field of sound. Later, with the development of the first sound films, Col. Levinson contributed several articles on the subject which were published in *American Cinematographer*.

**OCTOBER SIXTH** marked the 25th anniversary of the first "talking" picture produced in Hollywood—"The Jazz Singer," starring Al Jolson, and produced by Warner Brothers.

Two ASC members figured importantly in this production: Hal Mohr, who directed the photography, and Warren Lynch, who shot stills on the production.

Both men are still active cinematographers—Mohr, having recently completed the photography of "Member of the Wedding" at Columbia, and Lynch the photography of "Hottel Hell" released by Warner Brothers.

**JOHN R. HISHOP**, who recently succeeded Connard as Page 482.



JOHN ARNOLD, Hollywood Republics' Cinema magazine, distributor "The" station in perspective. ASC supporter of candidates during referred in recent ASC meet at Hollywood. Accepting speaker is Fred Jackson, while solid supporter John Boyle (standing); and Jack Rucker left on to background is partial view of ASC's "Wall of Fame," dedicated to Academy Award winners.

*New!*

## **KINEVOX Remote Amplifier-Mixer for any sound application**



**\$525<sup>00</sup>**

**The BEST VALUE in  
amplifier-mixers  
available today!**



### **Note These Features . . .**

- Hi Level mixing
- 4 input channels
- AC operated
- Complete in one case
- Sliding pilot
- Cones receptacles
- Meter reference point adjustment
- Monitor volume adjustment
- Inter-communication system
- DC heater supply
- 2-way busbar system
- Shock-mounted pre-amplifier tubes

• Dialogue equalizer (4-position)

### **Performance data**

- Source impedance—50, 125, 250, 500 or high  $Z$
- Normal output level +10 V.U. into 600 ohm line
- Maximum output  $\pm 10$  db M 2% I.M.D.
- Maximum gain 90 db
- Frequency response  $\pm 1$  db from 30 cycles to 15 kc
- AC input 115-230 volts, 50/60 cycles
- Power consumption 85 watts

A product of the manufacturers of KINEVOX PORTABLE SYNCHRONOUS MAGNETIC RECORDERS and associated equipment

KINEVOX BUILDING  
156 SO. HOLLYWOOD WAY

**KINEVOX**  
INCORPORATED

SUDBANE  
CALIFORNIA

TELEPHONE: REdwood 9-5371

New York - - - Mexico City - - - Lima - - - Bombay

CABLE ADDRESS: KINEVOX, SUDBANE

# CAMART PRODUCTS

## ★ CAMART TV MKE BOOM

Four handle for directional side control. Sturdy 3/4" extension arm. Retina unit folds to fit in your car.

## ★ OPTICAL FX UNIT and PRISMS

For 16mm, 35mm, and TV cameras. With reproduce multiple images in rotation. Excellent for TV, animation, or film commercials.

## ★ CAMART TRIPOD

Lightweight flotation head tripod for semi-professional 16-35mm cameras. Smooth, well-balanced pan and tilt action. Rigid leg locks.

FOR STUDIO AND LOCATION

## CAMART RUMP for ARRI-FLEX 35mm CAMERA

Geared follow focus control. Buffer viewing through the blimp. Eliminate parallax problems. 110 volt 60 cycle single phase sync motor. Geared footstep coupler. Accepts cameras with 400' magazines.

## ★ CAMART BARY DOLLY

New advanced slide clamping. Platform for assistant and cameraman. Adjustable metal cast. Rigid clamps for tripod legs. For tripod, baby tripod, and hi-hats. Size 35 x 46 inches. It comes apart.

## ★ CAMART CAMERA DOLLY

Professional motion picture or TV camera dolly. Two seats for operator and assistant. Geared lift for smooth operation of boom arm from 15" to seven feet. 15" width will go through standard door. Weight 310 pounds. Easily transported.

Above equipment  
available for  
immediate delivery

SALES • RENTALS • REPAIRS

THE CAMERA • MART INC.

MOTION PICTURE AND TV PRODUCTION EQUIPMENT

1845 BROADWAY

Phone: Circle 6-9930

## BULLETIN BOARD

(Continued from Page 466)

ed Ray Wilkinson as head of the camera department at Paramount Studios, has been elected to Associate membership in the American Society of Cinematographers. Prior to Wilkinson's resignation, Bishop had been Wilkinson's assistant for many years.

ED OLSEN, cinematographer for Dudley Pictures Corp., has returned to Hollywood after completing a five-month's tour of the U.S., filming sports events for Dudley's series of theatrical and television films. Olsen was a Cine Special camera, shoots 16mm Commercial Kodachrome, which is subsequently "blown up" to 35mm in the Trucolor.

JOSEPH KUTTENBERG, ASC, last month completed the photography of MGM's "Jubal Cramer" in Technicolor, and to be the only color production on record shot almost entirely by aid of overhead illumination alone.

ACCORDING TO our Hollywood film laboratory head, magnetic sound—now in general use for recording in all major Hollywood studios—has put a dent in film lab business to the extent of 30%.


BENJAMIN BERG, ASC, Eclair camera representative in Hollywood, is writing an article for American Cinematographer describing the unique built in exposure meter which is a feature of the new Eclair cameras.

OCTOBER 27TH meeting of American Society of Cinematographers featured an illustrated talk on color in photography by Ralph M. Evans, author of "An Introduction To Color." Mr. Evans is head of the Color Control Department at Eastman Kodak Company, Rochester, New York.

Among the other honored guests who attended the meeting were Toshiro Uchiyama and N. Takemura, of the Japanese motion picture industry in Tokyo; Mr. Harry Mizuma, Japanese cinematographer; British cinematographer Laurel Wheeler, of London; and Frank Zarker, ASC, head of Camera Equipment Co.

AMONG ASC MEMBERS who attended the 72nd semi-annual convention of the SMPTE in Washington, D.C. last month were Peter Male, who stepped down from the SMPTE presidency, handing the gavel to his successor, Herbert Barnett; John Boyle; Sidney Solow; Karl Freund; and Charles Handley.





**THE WORLD  
LOOKS TO  
HOUSTON-  
FEARLESS  
FOR  
MOTION  
PICTURE  
EQUIPMENT**

When your motion picture cameras roll, you'll find Houston-Fearless equipment. For complete camera mobility in the studio and on location... for maximum efficiency and dependability in the processing lab... it's Houston-Fearless the World over.



Write for information on (small) and equipment for your specific needs.

*The*  
**HOUSTON  
FEARLESS**  
*Corporation*

- DEVELOPING MACHINES • COLOR PRINTERS • FRICTION HEADS
- COLOR DEVELOPERS • DOLLIES • TRIPDS • PRINTERS • CRANES

11801 W. OLYMPIC BLVD • LOS ANGELES 64, CALIF.

"WORLD'S LARGEST MANUFACTURER OF MOTION PICTURE PROCESSING EQUIPMENT"

ARRIFLEX

35mm  
Model 11A TRULY GREAT  
CAMERAfor TV, Newsreel  
and commercial  
films

For tough and trying assignments, ARRIFLEX 35 is in a class by itself. Reflex focusing through photographing lens while camera is operating—this is just one outstanding ARRIFLEX feature.

Equipped with bright, right-side-up image finder, 6½x magnification. Solves all parallax problems. 3 lens travel. Variable speed motor built into handle operates from lightweight battery. Technicolor registering from 0 to 50 frames per second. Compact, lightweight for either tripod or hand-held filming. Takes 200' or 400' magazines. Wide for free folder.

THE  
CAMERA EQUIPMENT CO.  
HOLDINGS LTD. NEW YORK CITY

## Cinematography

Of Pictures Reviewed in

## REVIEWS

Hollywood Last Month

**IT GROWS ON TREES** — Photographed in black-and-white by Maury Gertman, ASC, for Universal-International Pictures. Produced by Leonard Goldstein and directed by Arthur Lubin.

Troubles start for Pelly Becker (Heene Dunn) when she discovers two trees in her backyard growing \$5 and \$10 bills. Her husband (Dean Jagger) refuses to let her use the money, even though the middle class family is harried by budget difficulties. From thereon is the final outcome: it's a hilarious picture made particularly interesting by Maury Gertman's skillful execution of crane and dolly shot technique. The crane maneuvers in the opening sequence are exceptionally commendable—as excellent study for students of cinematography.

Thereafter, similar camera treatment is smooth and precise and is really the sturdiest photographic highlight of the picture. Commendable, too is Gertman's polished lighting of the interiors, which make up about 50% of the picture.

The daytime exteriors are marked by that smooth lighting which Gertman has come to achieve in his pictures through skillful use of scrims and diffusers, and that "just right" balance of fill light that invariably gives his scenes a genuine natural aspect.

**STOP, YOU'RE KILLING ME!** — Photographed in Warner-Color by Ted McCord, ASC, for Warner Brothers. Produced by Lewis F. Edelman and directed by Roy Del Ruth.

This is Ted McCord's first Warner Color assignment, and it proves that McCord can get as much out of this new color system as any other Warner Brothers cinematographer who has used it to date. On the other hand, it may also prove that Warner Brothers has perfected Warner-Color to where it is now as simple to use as black-and-white film—which has been their aim.

Story is laid at time of demise of prohibition and has to do with Road-rick Crawford, a racketeer of that era and his wife, Claire Trevor, and their experiences encountered in going "legit," as Crawford puts it.

Most of the scenes are staged indoors, even many of the "exteriors" and this gave McCord the advantage of controlled lighting—which is advantageous to any color production.

Also evident is fact Warners still are having a little trouble with their make-up for men for this color system, but

no doubt the solution is just a matter of time, judging from the way they have overcome other obstacles.

All in all it's another interesting study of Warner-Color, a process which the industry has been watching with keen interest.

**APRIL IN PARIS** — Photographed in Technicolor by Wilfred M. Clive, ASC, for Warner Brothers. Produced by William Jacobs and directed by David Butler.

Because most Technicolor musicals generally follow the same set formula for photography, Wilfred Clive's work in this production will be viewed with considerable interest for the reason that his technique, particularly his Technicolor lighting, produces a markedly different result. Notable is the way he tones down lighting of the upper regions of sets and often on the players themselves. Then there is the interesting treatment of the shots of the chorus on stage. Normally, the lighting would come predominantly from direction of the footlights—often with unsatisfactory results. Clive has ignored the rule that says you must light it "such and such a way" and quite obviously has struck out along bold new paths, with interesting pictorial results.

Story's about singer Doris Day who gets mistaken for European jazz in error, and who is ultimately straightened out by government handling Ray Bolger.

**THE MAGIC BOX** — Photographed in Technicolor by Jack Cardiff, ASC, for J. Arthur Rank. Produced and directed by Ronald Neame.

Jack Cardiff, or perhaps it was the art director evidently decided on a pattern of soft, pastel coloring for the photography of this picture. At any rate it has been achieved with some sacrifice of quality in the photography, which is spotty—being marked by washed out faces in many scenes. This of course, could also be due to the processing by Technicolor's London laboratory, which doesn't always seem to achieve the same crisp quality and color fidelity as does Technicolor's labs in this country.

Otherwise, the techniques of camera handling and composition contribute substantially to keeping alive a somewhat loose story about William Shakespeare.

(Continued on Page 304)

# ★ ARRIFLEX 35

MODEL II

The ideal 35mm movie camera for TV, Newsreel, Industrial, Travel and Scientific Motion Picture Photography.

## FAMOUS ARRIFLEX FEATURES:

- Reflex focusing through taking lens, even when camera is running
- Right angle large finder, 8 1/2" x magnification
- "Follow-focus" without assistant
- No parallax or other finder problems
- Full frame focusing and viewing
- 3-lens turret
- Quick change geared film magazines (200 and 400 feet, 16 bolts to camera)
- Variable speed motor built into handle
- Tachometer registering from 0 to 30 frames per second
- Compact, lightweight
- Quickly adaptable for tripod or hand-held filming
- Easily detachable movie lens-finder holder

The **"ARRIFLEX 35"**  
is easier and  
faster to handle."

Write THE CAMERA MART, INC.,  
FAMOUS NEW YORK CINE AND TV EQUIPMENT  
DEALER

"From the very first time we saw the Arriflex 35, we were struck by the numerous advantages of the camera. Naturally, these cameras had to be in our stock."

"Camera men and producers who visited us showed an ardent interest, and a week's very long before the Arriflex 35 proved itself in productions all over the world. The late Robert Flaherty bought two from us week which he filmed "The Loneliness Story".

The Arriflex 35 is easier and faster to handle with its reflex focusing, direct viewing, simple threading, and on top of all general in lightweight construction and compactness are blessings to the cameramen who have heretofore been struggling with more cumbersome equipment. The Arriflex has proved itself rugged and tough enough for any conditions which may arise on location.

For our money, the Arriflex 35 is first choice for production filming."

Available at Leading Dealers

Write for Latest Literature and Price List



## COATED LENSES in ARRIFLEX MOUNTS

20mm f/2.8 Schneider Xenar®	90mm f/2.8 Kitar
50mm f/2.8 Schneider Xenar®	135mm f/2.8 Kitar
75mm f/2.8 Schneider Xenar®	180mm f/2.8 Kitar
*With Follow-Focus Gages	200mm f/5.6 Kitar
	400mm f/5.6 Kitar

## ORIGINAL ARRIFLEX ACCESSORIES

LENS EXTENSION TUBE for close-up filming and cinematography

RI-HAT for mounting Arriflex 35 on standard tripods

SHOULDER-POD for vibration-free, hand-held filming

BATTERY — 16 Vdc, lightweight, neoprene, with carrying case and shoulder strap

BATTERY CHARGER

## THE NEW ★ARRIFLEX 35 TRIPOD

- Sturdy, rugged and sleek design. Weighs only 19 lbs.
- Large advanced ball-joint for leveling
- Velvet smooth pan and tilt action with separate locks
- Extra large handle for under-arm control
- Spirit level
- Can be used with all professional cameras
- Leather boot available



# KLING

SOLE AGENTS

# PHOTO SUPPLY CORPORATION

220 JOURNAL AVE., NEW YORK 5, N. Y. • GRUENY 5-1120

WEST COAST REPRESENTATIVE: ARDENT STONE, 727 NORTH WESTERN AVE., LOS ANGELES 19, CALIFORNIA • GLADSTONE 4384



Attention!  
**BOLEX H16**  
**OWNERS**  
To One of the  
World's Finest  
Cameras, You  
May Now Add

### A VARIABLE SHUTTER UNIT

- Full range from open to almost at all shutter speeds
- 1 commercial, intermediate, short, 16, 35, 65, 100, open and 16, 35, 65, 100, 160, 320, 640, 1280, 2560, 5120, 10240, 20480, 40960, 81920, 163840, 327680, 655360, 1310720, 2621440, 5242880, 10485760, 20971520, 41943040, 83886080, 167772160, 335544320, 671088640, 1342177280, 2684354560, 5368709120, 10737418240, 21474836480, 42949672960, 85899345920, 171798691840, 343597383680, 687194767360, 1374389534720, 2748779069440, 5497558138880, 10995116277760, 21990232555520, 43980465111040, 87960930222080, 175921860444160, 351843720888320, 703687441776640, 1407374883553280, 2814749767106560, 5629499534213120, 11258999068426240, 22517998136852480, 45035996273704960, 90071992547409920, 180143985094819840, 360287970189639680, 720575940379279360, 1441151880758558720, 2882303761517117440, 5764607523034234880, 11529215046068469760, 23058430092136939520, 46116860184273879040, 92233720368547758080, 184467440737095516160, 368934881474191032320, 737869762948382064640, 1475739525896764129280, 2951479051793528258560, 5902958103587056517120, 11805916207174113034240, 23611832414348226068480, 47223664828696452136960, 94447329657392904273920, 188894659314785808547840, 377789318629571617095680, 755578637259143234191360, 1511157274518286468382720, 3022314549036572936765440, 6044629098073145873530880, 12089258196146291747061760, 24178516392292583494123520, 48357032784585166988247040, 96714065569170333976494080, 193428131138340667952988160, 386856262276681335905976320, 773712524553362671811952640, 1547425049106725343623905280, 3094850098213450687247810560, 6189700196426901374495621120, 12379400392853802748991242240, 24758800785707605497982484480, 49517601571415210995964968960, 99035203142830421991929937920, 198070406285660843983859875840, 396140812571321687967719751680, 792281625142643375935439503360, 1584563250285286751870879006720, 3169126500570573503741758013440, 6338253001141147007483516026880, 12676506002282294014967032053760, 25353012004564588029934064107520, 50706024009129176059868128215040, 101412048018258352119736256430080, 202824096036516704239472512860160, 405648192073033408478945025720320, 811296384146066816957890051440640, 1622592768292133633915780102881280, 3245185536584267267831560205762560, 6490371073168534535663120411525120, 12980742146337069071326240823050240, 25961484292674138142652481646100480, 51922968585348276285304963292200960, 103845937170696552570609926584401920, 207691874341393105141219853168803840, 415383748682786210282439706337607680, 830767497365572420564879412675215360, 1661534994731144841129758825350430720, 3323069989462289682259517650700861440, 6646139978924579364519035301401722880, 13292279957849158729038070602803445760, 26584559915698317458076141205606891520, 53169119831396634916152282411213783040, 106338239662793269832304564822427566080, 212676479325586539664609129644855132160, 425352958651173079329218259289710264320, 850705917302346158658436518579420528640, 1701411834604692317316873037158841057280, 3402823669209384634633746074317682114560, 6805647338418769269267492148635364229120, 13611294676837538538534984297270728458240, 27222589353675077077069968594541456916480, 54445178707350154154139937189082913832960, 108890357414700308308279874378165827665920, 217780714829400616616559748756331655331840, 435561429658801233233119497512663310663680, 871122859317602466466238995025326621327360, 1742245718635204932932477990050653242654720, 3484491437270409865864955980101306485309440, 6968982874540819731729911960202612970618880, 13937965749081639463459823920405225941237760, 27875931498163278926919647840810451882475520, 55751862996326557853839295681620903764951040, 111503725992653115707678591363241807529902080, 223007451985306231415357182726483615059804160, 446014903970612462830714365452967230119608320, 892029807941224925661428730905934460239216640, 1784059615882449851322857461811868920478433280, 3568119231764899702645714923623737840956866560, 7136238463529799405291429847247475681913733120, 14272476927059598810582859694494951363827466240, 28544953854119197621165719388989902727654932480, 57089907708238395242331438777979805455309864960, 114179815416476790484662877555959610910619729920, 228359630832953580969325755111919221821239459840, 456719261665907161938651510223838443642478919680, 913438523331814323877303020447676887284957839360, 1826877046663628647754606040895353774569915678720, 3653754093327257295509212081790707549139831357440, 7307508186654514591018424163581415098279662714880, 14615016373309029182036848327162830196559325429760, 29230032746618058364073696654325660393118650859520, 58460065493236116728147393308651320786237301719040, 116920130986472233456294786617302641572474603438080, 233840261972944466912589573234605283144949206876160, 467680523945888933825179146469210566289898413752320, 935361047891777867650358292938421132579796827504640, 1870722095783555735300716585876842265159593655009280, 3741444191567111470601433171753684530319187310018560, 7482888383134222941202866343507369060638374620037120, 14965776766268445882405732687014738121276749240074240, 29931553532536891764811465374029476242553498480148480, 59863107065073783529622930748058952485106996960296960, 119726214130147567059245861496117904970213993920593920, 239452428260295134118491722992235809940427987841187840, 478904856520590268236983445984471619880855975682375680, 957809713041180536473966891968943239761711951364751360, 1915619426082361072947933783937886479523423902729502720, 3831238852164722145895867567875772959046847805459005440, 7662477704329444291791735135751545918093695610918010880, 15324955408658888583583470271503091836187391221836021760, 30649910817317777167166940543006183672374782443672043520, 61299821634635554334333881086012367344749564887344087040, 122599643269271108668667762172024734689499129774688174080, 245199286538542217337335524344049469378998259549376348160, 490398573077084434674671048688098938757996519098752696320, 980797146154168869349342097376197877515993038197505392640, 1961594292308337738698684194752395755031986076395010785280, 3923188584616675477397368389504791510063972152790021570560, 7846377169233350954794736779009583020127944305580043141120, 15692754338466701909589473558019166040255888611160086282240, 313855086769334038191789471160383320805117772223201725440, 627710173538668076383578942320766641610235544446403450880, 1255420347077336152767157884641533283220471088892806901760, 2510840694154672305534315769283066566440942177785613803520, 5021681388309344611068631538566133132881884355571227607040, 10043362776618689222137263077132266265763768711142455214080, 20086725553237378444274526154264532531527537422284910428160, 40173451106474756888549052308529065063055074844569820856320, 80346902212949513777098104617058130126110149689139641712640, 160693804425899027554196209234116260252220299378279283425280, 321387608851798055108392418468232520504440598756558566850560, 642775217703596110216784836936465041008881197513117133701120, 1285550435407192220433569673872930082017762395026234267402240, 2571100870814384440867139347745860164035524790052468534804480, 5142201741628768881734278695491720328071049580104937069608960, 10284403483257537763468557390983440656142099160209874139217920, 20568806966515075526937114781966881312284198320419748278435840, 41137613933030151053874229563933762624568396640839496556871680, 82275227866060302107748459127867525249136793281678993113743360, 164550455732120604215496918255735050498273586563357986227486720, 329100911464241208430993836511470100996547173126715972454973440, 658201822928482416861987673022940201993094346253431944909946880, 1316403645856964833723975346045880403986188692506863889819893760, 2632807291713929667447950692091760807972377385013727779639787520, 5265614583427859334895901384183521615944754770027455559279575040, 10531229166855718669791802768367043231889509540054911118559150080, 21062458333711437339583605536734086463779019080109822237118300160, 42124916667422874679167211073468172927558038160219644474236600320, 84249833334845749358334422146936345855116076320439288948473200640, 168499666669691498716668844293872691710232152640878577896946401280, 336999333339382997433337688587745383420464305281757155793892802560, 673998666678765994866675377175490766840928610563514311587785605120, 1347997333357531989733350754350981533681857221127028623175571210240, 2695994666715063979466701508701963067363714442254057246351142420480, 5391989333430127958933403017403926134727428884508114492702284840960, 10783978666860255917866806034807852269454857769016228985404569681920, 21567957333720511835733612069615704538909715538032457970809139363840, 43135914667441023671467224139231409077819431076064915941618278727680, 86271829334882047342934448278462818155638862152129831883236557455360, 172543658669764094685868896556925636311277724304259663766473114910720, 345087317339528189371737793113851272622555448608519327532946229821440, 690174634679056378743475586227702545245110897217038655065892459642880, 1380349269358112757486951172455405090490221794434077310131784919285760, 2760698538716225514973902344910810180980443588868154620263569838571520, 5521397077432451029947804689821620361960887177736309240527139677143040, 11042794154864902059895609379643240723921774355472618481054279354286080, 22085588309729804119791218759286481447843548710945236962108558708572160, 44171176619459608239582437518572962895687097421890473924217117417144320, 88342353238919216479164875037145925791374194843780947848434234834288640, 176684706477838432958329750074291851582748389687561895696868469668577280, 353369412955676865916659500148583703165496779375123791393736939337154560, 706738825911353731833319000297167406330993558750247582787473878674309120, 1413477651822707463666638000594334812661987117500495165574947757348618240, 2826955303645414927333276001188669625323974235000990331149895514697236480, 5653910607290829854666552002377339250647948470001980662299791029394472960, 11307821214581659709333104004754678501295896940003961324599582058788945920, 22615642429163319418666208009509357002591793880007922649199164117577891840, 45231284858326638837332416019018714005183587760015845298398328235155783680, 90462569716653277674664832038037428010367175520031690596796656470311567360, 180925139433306555349329664076074856020734351040063381193593312940623134720, 361850278866613110698659328152149712041468702080126762387186625881246269440, 723700557733226221397318656304299424082937404160253524774373251762492538880, 1447401115466452442794637312608598848165874808320507049548746503524985077760, 2894802230932904885589274625217197696331749616641014099097493007049970155520, 5789604461865809771178549250434395392663499233282028198194986014099940311040, 11579208923731619542357098500868790785326998466564056396389972028199880622080, 23158417847463239084714197001737581570653996933128112792779944056399761244160, 46316835694926478169428394003475163141307993866256225585559888112799522488320, 92633671389852956338856788006950326282615987732512451171119776225599044976640, 185267342779705912677713576013900652565231975465024902342239552451198089953280, 370534685559411825355427152027801305130463950930049804684479104902396179906560, 741069371118823650710854304055602610260927901860099609368958209804792359813120, 1482138742237647301421708608111205220521855803720199218737916419609584719626240, 2964277484475294602843417216222410441043711607440398437475832839219169439252480, 5928554968950589205686834432444820882087423214880796874951665678438338878504960, 11857109937901178411373668864889641764174846429761593749903331356876677757009920, 23714219875802356822747337729779283528349692859523187499806662713753355514019840, 47428439751604713645494675459558567056699385719046374999613325427506711028039680, 94856879503209427290989350919117134113398771438092749999226650855013422056079360, 189713759006418854581978701838234268226797542876185499998453301710026844112158720, 379427518012837709163957403676468536453595085752370999996906603420053688224317440, 758855036025675418327914807352937072907190171504741999993813206840107376448634880, 1517710072051350836655829614705874145814380343009483999987626413680214752897269760, 3035420144102701673311659229411748291628760686018967999975252827360429505794539520,

# Announcing

## THE NEW AURICON 'SUPER 1200'

16MM SOUND-ON-FILM  
CAMERA... Featuring

- ★ Instant ground-glass focusing through the Camera lens, shows the exact frame and focus at all distances.
- ★ Self-blipped for completely quiet studio operation.
- ★ 1200 foot film capacity for 33 minutes of recording.
- ★ Variable shutter for fades, dissolves or exposure control.
- ★ Two independent finder systems in addition to ground-glass reflex focusing; one finder for studio use, the other for telephoto work.
- ★ \$4,315.65 complete for "High Fidelity" 16mm single-system sound-on-film, with Amplifier, Microphone, and three Carrying Cases (lenses additional). Also available without sound equipment.
- ★ Sold with 30 day money-back Guarantee. RCA Licensed sound. Write today for further information.

**BERNDT-BACH, Inc.**

7381 BEVERLY BOULEVARD  
LOS ANGELES 36, CALIF.

The quiet operation of the  
Auricon "Super 1200" is  
silent proof of precision  
design. Its only equal as  
a superb photographic  
instrument is another  
Auricon "Super 1200".

**Auricon**  
Hollywood



# There's NO Color like ANSCO COLOR

**NEGATIVE POSITIVE PROCESS**

*...for Screen Quality!*

**YES,  
ALL-AROUND  
QUALITY,  
THAT INCLUDES**

- *Truer Color!*
- *Excellent Screen Steadiness!*
- *Finer Grain!*
- *Superior Definition!*
- *Greater Brilliance and Depth!*

*...for Production Economies!*

**SAVE** by using your present standard 16mm cameras, which obtain excellent results with Ansco Color Negative-Positive Color!

**SAVE** by doing your own processing. With minor modifications in standard black and white processing equipment you can process color negatives in 90 minutes!

**SAVE** by seeing color rushes within hours. No expensive delays in holding sets or keeping casts on location while waiting to see results!

**COMING**

Watch for M-G-M's *second* full-length feature on Ansco Color! It's "Vaquero", starring Ava Gardner and Robert Taylor, with Howard Keel! To be released early in '53!

## ANSCO

NEW YORK • HOLLYWOOD • CHICAGO • BINGHAMTON

A Division of General Aniline & Film Corporation "From Research to Reality"

# CAMERETTE 35 & 16/35

## THE MOST VERSATILE CAMERA

IN  
THE  
WORLD



Richard Leacock using the Camerette in the Bolivian Andes, altitude 15,000 feet, on the film, YEARS OF CHANGE, produced by Affiliated Film Producers, Inc., for the U.S. State Department.

The Camerette, 35 and 16/35, with its functional shape, precision movement, and rugged but light weight construction, incorporates the newest ideas in camera design.

Reflex viewing through the taking lens at all times... Instantaneous magazine loading... Divergent three lens turret... The only reflex motion picture camera able to use short focal length lenses—18.5mm to 300mm... Adjustable shutter—200° to 40°... 6/8 volt motor... 110 and 220 synchronous motors... Complete necessary equipment and focusing mounts for all principal makes of lenses...

AND the only camera that can use either 16mm or 35mm film... the changeover is made in a matter of seconds by simply changing the automatic film gate magazine... The Camerette 16/35 has all the professional advantages of the standard 35mm model, plus the ability to use both film sizes.

We have used the CAMERETTE for three years and have found it to be the most versatile production camera we have ever seen.

In 1950 we shot fifty thousand feet of film under the most trying conditions, from jungle heat to the rarefied atmosphere of eight thousand feet above sea level in the Andes. We used it as a hand-held camera, on a tripod, and to photograph living organisms under a microscope.

We can recommend the camera unreservedly.

*Willard Van Dyke*

WILLARD VAN DYKE  
AFFILIATED FILM PRODUCERS, INC.  
164 East 26th Street  
New York 10, N.Y.



**C**amerette 35 & 16/35

patents pending • manufactured by Eclair, Paris

for descriptive brochure write U.S. representative Benjamin Berg Agency • 1366 N. Van Ness, Hollywood



## THE MAURER 16mm IN ROME



When Ken Richter makes a foreign-location documentary for a firm like Rood and Barton, Silversmiths . . . you can expect to find the Maurer "16" on the job. To the public, this sequence illustrates "The Romance of Silver Design." To the professionals it proves the better results achieved with the camera designed for professional use . . . the Maurer "16."

Ken Richter at work in Cinecitta Studios, Rome, on Roman banquet scene.



**THE MODEL P PHOTO RECORDING OPTICAL SYSTEM AND GALVANOMETER.** A complete light measuring unit for recording sound photometrically upon standard film, as shown in special recording on open pans (after dark recording lamp).



**THE 16MM SOUND-ON-FILM RECORDING SYSTEM** combines the highest fidelity in sound recording practice with wide flexibility and maximum simplicity of operation. For details see this and other MAURER equipment notes.



**THE MAURER 16MM**, designed specifically for professional use, equipped with precision high power focusing and view finder. Standard equipment includes 125" six-bladed shutter, synchronous belt control, view finder, condenser and mirror holder, and 400 foot gear drive film magazine, a 30-inch 12 volt synchronous motor, one 8-lumen handlamp, power cable and a lightweight carrying case.

**maurer** means *fine motion pictures!*

**J. A. MAURER, INC.**

37-31 31st Street, Long Island City 3, New York  
1107 South Robertson Blvd., Los Angeles 25, California

**maurer**  
MOVIE EQUIPMENT

CABLE ADDRESS  
JAMAURER





VISITORS as well as AIC members were interested before during demonstration and discussion of the Vistalite process, conducted by Dr. Charles E. Babb, AIC, of Paramount Studios.



INDIA cinematographer R. P. Divcha (left foreground) and sound technician Minoo Katrek (left) to Gerald Linnin, AIC, discuss the merits of the Mitchell Blum studio camera, which was demonstrated in conjunction with various "back" dolly designed by Steve Rothmanrich (far left).



DENNY SLEW, AIC, (left) demonstrated new automatic time lapse to visitors. Working demonstration is to the right: R. P. Divcha, Minoo Katrek, Fred Jackson, Jr., AIC, and Gerald Linnin, AIC.



CHARLES E. CLARKE, president of American Society of Cinematographers, welcomes technical men from India's motion picture industry to ASC's November meeting. From left are Minoo Katrek, R. P. Divcha, Clarke, M. R. Archarekar, D. Subramanyam, and E. M. Sivar.

## India Film Technicians Feted By Cinematographers

Technical talks and equipment demonstrations augment dinner given by American Society of Cinematographers for visiting technicians of India's motion picture industry.

By ALVIN D. ROE

THE AMERICAN SOCIETY OF CINEMATOGRAFERS, whose eminent members photograph most of the theatre and television motion pictures made in Hollywood, were hosts to the technical contingent of the 13-member delegation of distinguished artists, producers and technicians from the motion picture industry of India during their visit to Hollywood last month.

Named by the India motion picture industry to represent the film business of their country for a 4-week tour of the United States were five technical men, in addition to four of the country's most beautiful and talented women stars and three leading male stars. The five men, hosted by the ASC were: R. P. Divcha, chief cameraman for the Korder Studio in Bombay; D. Subramanyam, of Madras, producer, director and recently

president of the South Indian Film Chamber of Commerce; M. R. Archarekar, motion picture art director from Bombay; Minoo Katrek, Bombay, sound recording engineer; and E. M. Sivar, Indian motion picture producer and exhibitor.

Following a dinner at the Society's clubhouse in Hollywood, ASC president Charles E. Clarke formally introduced the honored Indian guests, each of whom addressed the gathering briefly. For the technicians, it was the culmination of a long anticipated opportunity to meet in person the many cameramen and cinematographic technicians whom they had come to know through American Cinematographer magazine.

Each of the visitors told something of his experiences in making motion

(Continued on Page 501)



THE STEEL BANK VAULT from which Joseph Cotton steals a million dollars prior to fleeing in Brazil. Colortrons, Juniors and Photoheads operating on main current, furnished the illumination used by Ernest Laszlo in photographing this dramatic scene

**B**ESIDES BEING ONE OF the season's better motion pictures, "The Steel Trap" also is noted for the fact almost 98 percent of it was filmed away from the studio, in actual locales. It is embellished with slick documentary treatment in the photography by cinematographer Ernest Laszlo, ASC, a quality which enhances the story appreciably, imparting as it

does the illusion one is actually witnessing the happenings surrounding the absconding by a trusted bank executive of a million dollars—the crux of the story.

Joseph Cotton is the executive who suddenly is tempted to steal the bank's funds and flee with his wife and child to the safety of extradition-proof Brazil. Encouraging everything short of actual apprehensions in his two-day week-end flight attempt, he changes his mind when his wife discovers his plot, and manages to return the money to the bank just moments before opening time the following Monday morning.

This Thor Production, under the guidance of producer Bert Fridloff and given the skillful direction of Andrew Stone, utilizes such actual locales as city streets, interior of banks and office buildings, an airport and hotel rooms. Only one studio set was used—that of the hotel bedroom where Cotton's wife, Theresa Wright, discovers he's a thief and leaves him. Shooting this sequence required but one day, and represents the only studio filming in the entire picture.

The actual locations used were in Los Angeles, and in New Orleans where Cotton and Miss Wright try vainly to make plane connections for Brazil. The Los Angeles locations included several downtown city streets; marriage license bureau

Documentary photography  
lends realism and dramatic punch to

## THE STEEL TRAP

... filmed almost entirely  
in actual locales.

By ARTHUR ROWAN

in the City Hall; interior of the International Airport; TWA's downtown office; Alexandra Hotel; Markham Building, a barber shop; interior of a TWA plane, and a dwelling in San Fernando Valley. In New Orleans, the airport, TWA office, Antoine's famous restaurant, and several city streets served for locations.

Photographing a picture in such off the lot sets as enumerated here might be considered an easier chore than shooting in the studio. Actually, it is not. The risk for the cameraman is greater because, unlike in the studio where lighting can be controlled and there is unlimited assistance in the way of helpers, equipment, etc., he faces in locales outside the studio a multitude of unlooked for factors such as changing sunlight on exteriors, inadequate lighting equipment for his interiors, lack of camera movement which wild walls ordinarily provide in the studio, and the need to balance interior lighting with daylight coming through windows and doors. Actually, it would seem that shooting under such conditions would require more equipment and a greater crew than when shooting in the studio on the sound stage. But in this instance, Ernest Laszlo worked with perhaps the smallest crew ever to photograph a feature production on location. Transportation of equipment and crew to the various location sites was either by a single truck (in Los Angeles) or by plane, as when traveling to New Orleans. That limited space and the shortage of accommodations for camera, lighting and grip equipment made it necessary for Laszlo to operate with a crew consisting of only two grips, three electricians, plus regular camera crew.

The lighting equipment consisted of Colortrons, Juniors and Baby Juniors. Space and personnel limitations also ruled out the use of a generator. Power for the lights, camera and sound equipment was invariably supplied by domestic power lines; and when that wasn't feasible, as when shooting the taxi interiors, interior of plane, and several exteriors, power was supplied by a number of storage batteries sufficient to provide 110-volt current.

(Continued on Page 96)



Ernest Laszlo, ASC



THE CONVENIENCE of "old wars" was never missed on more than one occasion by Lasker and his camera crew when shooting interior work at TWA's ticket office in downtown Los Angeles.



TWO TAXIS were tied together to enable shooting the running taxi chase in "The Great Escape". Flares, cameras and cameras are in the second taxi, stage bathroom and sound recording equipment in the first.



IN SHOOTING interiors in the TWA office, Lasker employed reflectors and a beam of key light and got excellent results. But deep shots, faded glassless covered the windows to permit balancing the light.




DISPITE GLASSLESS interior in the bank, Lasker accomplished excellent photographic results with limited lighting equipment and use of the bank's beam-lighting power line. Most shots, of course, were of close range.



JUST ONE of many interiors that required use of faded glassless on windows and doors to permit balancing the interior illumination with the daylight coming through the openings—the TWA office in New Orleans.



LARGE WINDOWS in some of the interiors did not deter cinematographer Lasker in aiming for dramatic shots such as this on escape in Murray's Union office in New Orleans. During the window light made the shot possible.



**DIAGRAM** shows cross of a Cinerama film production from camera to projection. At bottom, scene is photographed with three-camera camera, which captures scene on three separate film reels in projection, film are scanned by three projectors, one on center and one at each side. The three film images become one on the large horizontal curved screen, and give the illusion of multi-dimensional reality without recourse to physical perspective. Perspective is retained optically, also through use of mass illusion, which produces a multiple sound track. This is reinforced through a line number of speakers which surround the screen.

**T**HE LONG BEACHES Cinerama made good at its first public presentation last month at the Broadway Theatre in New York City. The successful premiere showing marked another of those periodical innovations which have punctuated the history of the motion picture industry over the years, and like the others before it is destined to have a major effect on its future.

As was everyone else in the motion picture industry who attended the premiere of Cinerama, I was tremendously impressed with its possibilities. Cinerama is not a stereo film system, nor does its inventor call it a three-dimensional system. It is, instead, a means of bringing vastness to the screen without distortion or loss of definition and to create a sense of space through a larger, new type of screen, which fills the panoramic arch of the theatre. Sir Alexander Korda has described it most aptly as "... one of the most important inventions in the history of films. It gives the complete illusion of three dimensional effects in color and sound without the use of glasses."

Lowell Thomas, one of the important men associated with the new process describes Cinerama as "an adventure with a new medium which I believe will revolutionize the technique of motion picture story telling. From the beginning, pictures have been restricted by space. A painting is hemmed in by its frame, so to speak. Conventional motion pictures are confined to a narrow screen. You see only what is straight ahead, while normal vision includes what you see out of the corners of the eyes. Someone has said that movies are like looking through a keyhole. Cinerama breaks out of the sides of the ordinary screen, and presents nearly the scope of normal vision and hearing."

Cinerama is the result of a brilliant idea, 15 years of untiring research and the expenditure of millions of dollars. Its inventor, Ford Waler, developed the now famous gunnery trainer used by the armed forces in World War II. It saved an estimated 350,000 casualties. In it, four trainers sat in a large room in front of a huge spherical screen on which five synchronized projectors threw movies of enemy planes that dove on the novice gunners every which way.

## And Now... CINERAMA

Just as sound changed the course of motion pictures 25 years ago, Cinerama promises to broaden the scope of feature films. What it is and how it works is described here by one who witnessed its New York premiere.

By JOHN W. BOYLE, ASC

In a realistic three-dimensional stereo scene, each gunner fired an electronic machine gun at his adversary. The gun recorded the hits, instead of firing bullets. This Waller trainer was the final step along the road to Cinemascope.

The theory behind it dates back to Waller's early days when, as head of Paramount Studio's trick film department, he produced everything from realistic model shipwrecks to convertible outstage pumpkins for Cinderella. Waller figured that if he could deceive cameras and projectors that would duplicate most of the normal vision as seen by a pair of human eyes, the human brain would do the rest. His first camera was an eleven-lensed monster which produced like for eleven matching projectors to throw on a curved screen. "It was crude," says Waller, "but it gave the audience an experience, and I knew I was on my way."

The illusion of reality created by Cinemascope is closely linked to the functions of the retina of the human eye and the drum of the human ear. The film process attains the effects of real life by surrounding the viewer completely with action and sound in an environment. The picture Cinemascope produces is almost a complete half-circle, 136 degrees wide and 55 degrees high—pretty close to two human eyes which cover about 180 degrees and 90 degrees. Naturally, no lens known can cover such a field without excessive distortion. Hence, the Cinemascope camera has three 21mm lenses—no bigger than the lens of your own eye—set at 48 degrees angle. Each records a third of the picture's total width as seen on the screen, exposing its own strip of 35mm film. The lenses are arranged on a special mount in the camera like a miniature three section picture frame. The one in the center points straight ahead. Those on each side point in, so that the left lens records the right side of the picture and the one on the right takes the left side. A single, rotating shutter, that while in front of the lenses at the point where their lines of view cross, makes foolproof simultaneous exposures on each of the films. Diaphragm controls adjust exposures on all three lenses simultaneously.

Individual Cinemascope film frames are one-half again standard height—in other words, 6 perforations high instead of the standard four—and since three film strips are used, this means that the total amount of film used is 2½ times as much as normally used in filming a standard 35mm feature production. To merge the three film strips into a single picture on the screen, measuring 51 feet in width and 25 feet high, the process is reversed. Three 35mm projectors in separate booths throw the images from



HARRY SQUIRE, cameraman, (left) and John Bendish (right) co-producers of "This Is Cinerama," which introduced the wonders of the new Cinerama process to the world, pose lately before photographing a scene with the special 3-lensed Cinerama camera, shown at the left. Note the three film chambers which hold the three separate films used in Cinerama photography, also the daylight filter at top of camera used in keeping the camera covered on long shot scenes.

each film out onto the screen. The projector on the right fills the left third of the screen, the one on the left, the right third, and the one in the center fills the center portion. Since the screen is curved, one would naturally expect distortion and fuzziness to result, but this does not happen. Great depth of focus of the projector lenses keep the picture sharp. Distortion, caused by reflected light bouncing off the screen, is linked by the screen's special design which is made up of 1100 overlapping vertical

strips of perforated tape set at angles like the slats of a Venetian blind, instead of the one-piece screen used in conventional motion pictures. Reflected light bounces off a strip and escapes behind the strip directly in front of it.

One of the problems that had to be overcome in the development of Cinemascope was how to put the images of three separate film strips on the screen side by side without lines of demarcation show-

(Continued on Page 493)



FILMING one of the scenes from "Audrey" performed by the world-renowned La Scala Opera Company in Milan, Italy, for a sequence in "This Is Cinerama." The three-lensed camera is mounted on the powerful motion stage. There were not enough studio lights in all Italy to illuminate the huge stage for color film, so additional lights and generators were flown to Italy from England.



DIRECTOR OF PHOTOGRAPHY Hal Mohr, ASC, directs the placement of light on Greta Garbo for a scene from "The Four Poster," which Mohr filmed singly with Garbo behind scenes.

## Why I Used The Garutso Lens In Filming "The Four Poster"

Shooting sustained action in lengthy takes required a lens able to keep the major portion of the set in sharp focus at all times without need for excessive illumination.

By HAL MOHR, ASC


THE FOUR POSTER is the second Stanley Kramer production to be photographed with the Garutso bakewell lens. With the production staged in a single setting, as in the stage play from which the screenplay was adapted, and using a cast of essentially stage players, it was natural that the picture should be planned, staged and photographed in some extent in the manner of a stage play, utilizing continuous takes of sustained action.

This meant, of course, that the players would require the full scope of the set in which to move about during filming. That often one player would be well toward the front of the set in extreme closeup while the other would be fully up stage. Shooting the action in lengthy, continuous takes without the benefit of cuts to closeups, etc., meant that the camera lens used would have to keep the major portion of the set in sharp focus at all times, and that only a highly efficient depth of focus lens could accomplish this and still permit the use of normal low key lighting. To have followed the conventional method of employing the usual lenses, stopped down to gain depth, would mean building up the illumination level beyond the point where it could any longer be properly controlled, and would therefore not complement the mood of the story.


Deep focus photography permits greater flexibility in the staging of scenes; it not only allows greater freedom of movement to the director and actors, but also affords the director of photography the means of accomplishing during and evening pictorial compositions. The deep focus technique, therefore, was ideally suited to the adaptation of "The Four Poster" to the screen.

Here was a picture in which the entire action takes place on a single set, with only two players, both invariably together in every scene. To permit them

(Continued on Page 506)



HAL MOHR, who has made numerous experiments with Garutso bakewell lenses, has added depth of focus achieved without increasing lighting can offset economy in production by reducing number of camera setups required. Above graphs show comparative indexes of depth of field achieved.



In Garutso lens construction method, applied to 35" color and infrared lens, according to Robert E. King, Prof. of Physics, Calif. Institute of Technology. Left chart shows maximum at G, right chart at 15. The standard lens graph line is indicated by S, the corrected lens by Q.

EASTMAN  
PROFESSIONAL  
MOTION PICTURE  
FILMS

**W. J. GERMAN, Inc.**

Fort Lee

Chicago

Hollywood



ARROW indicates external control by which shutter opening may be adjusted instantly from "open" to "closed" and in three intermediate positions also closed gradually during filming to produce fade-out or a specific inclination and to set a part of standard Bolex H-16 camera

## Variable Shutter For The Bolex H-16

Makes possible smooth fades and lap-dissolves, fast-action filming, and gives new scope to a popular camera.

By FREDERICK FOSTER

by owners from all over the globe. "Adding a variable shutter to the Bolex H-16," says Pellegrini, "makes Bolex the 'Cadillac' of cameras in the medium-price field."

Here are some of the advantages which his variable shutter gives to Bolex H-16 camera owners: the ability to make fades and fade-outs and lap-dissolves; to achieve smooth changes of exposure when panning from light to dark areas in one take; to get sharper action pictures with faster shutter speeds; and eliminating the need for neutral density filters to cut down the light when using fast film out of doors.

All professional 35mm motion picture cameras, such as those used in the studios and for powered and some television film production have variable shutters. The general mechanical structure of a typical motion picture camera shutter is a disc—that is, it is a portion of a disc—which rotates behind the lens and before the film in the camera. It is synchronized with the camera movement so that it is closed during the interval that the film is being moved forward one frame and made ready for the next exposure. The next exposure takes place when the shutter continues to revolve, so that its open portion exposes light to the film as it comes through the lens, and for the interval permitted by the size of the "open portion" of the shutter. Normally, most cine cameras have one shutter speed because the shutter is "fixed"—that is, it is not variable; the open segment is always the same so that the interval of exposure is 1/30, 1/27, 1/40, etc., of a second, depending upon the make and model of the camera. Why there should be a difference of shutter speed between different cameras is probably due to the difference in the camera mechanisms and also to the fact the industry never settled upon a standard for all cine cameras.

Variable shutters are essentially of the same type construction except that two drive actions are employed, one stationary and one rotatable on the

shutter shaft, so that various degrees of shutter opening can be produced simply by manual adjustment of a lever which extends outside the camera case, and which moves one shutter segment to change the width of the opening. What results is a change in the amount of light reaching the film, or—when the shutter opening is open or closed progressively as the camera exposes the film, a fade is made. By making a fade out, then winding back the film (with lens capped) the exact number of frames occupied by the fade-out, and subsequently (with lens cap removed) starting the camera and gradually opening the shutter, a lap-dissolve is produced.

In making extensive panning shots where the camera lens moves progressively from a light to a dark area in a scene, unless it is possible to open up the shutter as the dark area is entered, the latter will be underexposed and some if not all the important detail will be lost. In such instances, the professional cameraman progressively opens his shutter to admit more light per exposure as the dark area is reached. While the shutter speed has been changed, correct exposure has been attained throughout the entire scene with out otherwise affecting the pictorial result.

With a variable shutter on a motion picture camera, the photographer has all the flexibility afforded by the still camera with a range of shutter openings. Just as the still photographer will stop up his shutter speed to 1/200 or 1/500 second and open up his lens for a fast action shot, the cine photographer having a variable shutter on his camera may do the same. Races and other sports events, flights of birds, and other fast action studies which are thus rendered in sharp detail, become pictorial delights.

Pellegrini's variable shutter installation involves a total of thirty-five parts. Five of these are gears used to form the differential block which, with the aid

(Continued on Page 134)

ONE OF THE IMPORTANT features which every 16mm cinefilmmaker wants in his camera when he undertakes professional cinematography is a variable shutter. At present, there are but two 16mm cameras in the semi-professional class which have this feature—the Eastman Cine Kodak Special, and the European-made Pathé Model E "Super 16." However, owners of the Bolex H-16 now may have this feature added to their cameras, thanks to the ingenuity of Tullio Pellegrini, of San Francisco, California.

Pellegrini, an avid Bolex owner and enthusiast, considers the H-16 one of the best 16mm cameras available. Thus, when he reached the stage in his filming activities where he required the added advantages which a variable shutter could give, instead of trading his camera for one having this feature, he proceeded to engineer and install one in his Bolex. So successful was this camera modification that other Bolex owners of his acquaintance persuaded him to install variable shutters in their cameras. Pellegrini soon found himself in a profitable sideline business which later developed into a full-time money-maker. Today, thanks to aggressive advertising, Pellegrini is installing variable shutters in Bolex cameras sent him



# SEEING IS BELIEVING!

## THE BIRTH OF A NATION AND THE BIRTH OF AN ART

IN 1915

MOTION PICTURES GRADUATED  
FROM FASCINATING NOVELTY TO  
INTERNATIONALLY RECOGNIZED  
ART-FORM WITH RELEASE OF

D.W. GRIFFITH'S

"BIRTH OF A NATION".

BIG BOX OFFICE WAS BORN, TOO.  
THE FILM HAS GROSSED OVER  
15 MILLION DOLLARS!

### ANOTHER PIONEER

...THE "NATIONAL" CARBON ARC...

HIGHLIGHTED THE DRAMATIC EFFECT  
AND VERSATILITY OF GUCH GRIFFITH  
"FIRSTS" AS CLOSE-UPS, BACK-LIGHTING,  
AND SHARP-SHADOW COMPOSITION.



### SUSPENSE...

THE SMALL SOURCE SIZE AND  
HIGH BRIGHTNESS OF "NATIONAL"  
CARBON ARCS PRODUCE MUCH  
SHARPER SHADOWS THAN ANY  
OTHER STUDIO LIGHTING SOURCE  
...SURPASSING EVEN THOSE  
OBTAINED FROM BRIGHT  
SUNLIGHT!



THE "NATIONAL" CARBON ARC...NOTHING BRIGHTER UNDER THE SUN

The New "National" is a registered trade mark of Union Carbide and Carbon Corporation

**NATIONAL CARBON COMPANY**

A Division of Union Carbide and Carbon Corporation, 30 West 42nd Street, New York 17, New York

Branch Sales Offices: Atlanta, Chicago, Dallas, Kansas City, New York, Pittsburgh, San Francisco  
IN CANADA: National Carbon Limited, Montreal, Toronto, Winnipeg



SOME OF THE equipment used in the photography of the Burns and Allen TV show may be seen in this picture of Quirk Allen discussing a scene with producer-director Ralph Levy (seated) and cinematographer Philip Hansen, A.S.C. In background are two of the important set lighting units used—the two-light rig and the two-light, which are used with diffusers suspended on floor of the camera dolly are two photoflood lamps which supply fill light.



GENERAL VIEW of the multiple sets used in staging action for the weekly Burns and Allen TV shows. Note one-light suspended from ceiling. These are suspended by wire hanging units—all suspended from overhead, thus leaving stage clear of cables for free movement of dolly-mounted cameras.

## Carefully Balanced Lighting Vital To Best TV Film Results

Optical and mechanical losses introduced in present TV systems, which affect quality of the finally transmitted film image, can be offset by more care in set illumination.

By PHILIP TANNURA, ASC

*Director of Photography, "The Burns and Allen Show"*

HAVING PHOTOGRAPHED more than a hundred films for television, I feel that I can state with some authority that there is a very real difference between the lighting required for television films and that demanded for theatrical films. This matter of lighting for TV films is an oft-disputed question; but the fact remains that today we still are both good and bad photographers on television screens.

The cinematographer who accepts an

assignment to photograph a dramatic film for television, should first understand some of the limitations that the electronics of television place upon motion pictures made for the medium. Having done so, he will then set about adjusting his lighting technique to fit the new medium in which he has undertaken to work.

The television film chain consists primarily of a projector and a pickup tube, and associated monitoring equip-

ment. These units introduce optical and mechanical losses into the quality of the finally transmitted film image. The most important element in this chain from the standpoint of quality loss is an undoubtedly the pickup tube and its operation. This tube—the iconoscope—which is an energy storage device and therefore subject to many errors common to all such devices, has been subject to much discussion and much improvement during the past two or three years. It has been felt by the most competent engineers that all is not yet fully understood about the use of the iconoscope tube, and new methods of using it are being developed even now.

As an example of one of the difficulties inherent in this type of image pickup device on which we presently rely to transmit film images to home TV screens, the spectral sensitivity of the iconoscope tube extends well into the infrared region of the spectrum. The large amount of infrared radiation present in the ordinary incandescent lamp, which is the light source employed in TV film projection, falls on the sensitive surface of the iconoscope tube

and creates an unwanted invisible image which in turn gives spurious electronic signals to the monitor circuit.

Since the electrons liberated from the sensitive phosphorus surface in the cathoscope by the infrared radiation passing through the film and falling on this sensitive surface are of low energy content, they tend to form a much less sharp and less well defined image than would be the case if the nonsensitive surface were sensitive to visible radiation alone.

Some television stations have sought to counteract this by placing infrared absorbing filters in the projector light beam, and many report marked improvement in the quality of film transmission as a result.

Competent authorities feel that when other methods of projecting TV films are developed and employed by the television industry, it will be possible to obtain at least as good quality from "Gems" films as is obtained from direct live pickup. In fact, the theorists go so far as to say that the film pickup program should then be better in quality than live shows, providing the latter are still handled in the same manner as at present.

Much development work is being done at the present time on continuous film projectors, which will be used to project the TV film image into a pickup device known as a flying spot scanner. The combination of the continuous projector and the flying spot scanner, which is not an energy storage device and is therefore not fraught with all the difficulties of such devices, will do much to relieve this problem.

With these facts before us, it is obvious that too often the TV film cameraman is fighting the atmosphere tube. Instead of changing the lighting to fit the tube presently in use in most studios, we find many cameramen following the old studio technique of providing heavy shadows with contrasting large white areas. In photographing the Barry and Allen Show, we went to make it look like a live show as much as possible. I'm frequently tempted to fall back on studio technique and put heavy shadows into different parts of the set, but I know what will happen when one of the three cameras we use shoots a cleanup of a player in one of these shadows. The result may appear possible when screened in the projection room, but it's a different story when it is put through the electronic system and sent out over the airwaves. Then the infrared logabole injects itself so unobscurely along the character of what was believed a perfectly lighted scene.

It has been my experience that if a player is in front of a "shadow break"

(Continued on Page 56)

# Television Film Production

By LEIGH ALLEN

**OCTOBER TV FILM PRODUCTION:** The following cinematographers were engaged in Hollywood last month directing the photography of films for television:

**Gert Anderson**, series of half-hour "Ford Theatre" dramas for Screen Gems at Columbia Studios.

**Leslie Andros**, ASC, series of 1/2-hour "Rebound" dramas for Bing Crosby Enterprises at Hal Roach Studio.

**William Bradford**, ASC, series of 1/2-hour Gene Autry films for Flying A Productions.

**Norbert Brodine**, ASC, series of "Rocket Squad" 1/2-hour mystery films for Showcase Productions (Roach).

**Elia Catter**, ASC, "Mr. and Mrs. North" series of 1/2-hour comedies for Federal Television, Inc. (Goldwyn).

**Dan Clark**, ASC, "Hanson Blocker" series of 1/2-hour adventure films for Ziv TV Productions.

**Ed Coleman**, "Dragon" series of 1/2-hour mystery films for Mark VII Productions (Wah Disney).

**Robert DuGosse**, ASC, "Amos 'n Andy" show for Hal Roach Productions, Hal Roach Studio.

**George Eshbach**, ASC, "My Hero" series of comedy dramas for Don Sharpe Enterprises (RKO-Pathé).

**Curt Feltton**, "Favorite Story" series of 1/2-hour telepics for Ziv TV Prod.

**Elly Fredericks**, "Riff Baker, USA," "Chevron Theatre," and "Green Theatre" series of 1/2-hour films for Revue Productions (Republic).

**Karl Freund**, ASC, "I Love Lucy" and "Our Miss Brooks," 1/2-hour comedies for DeLia Productions (Gen Serv.).

**Fredrick Gandy**, ASC, "Lickety and The Kids" series of 15-min. telefilms for John Gaudel Productions; also the "Oliver and Herriet" comedy series for Volcano Productions, Inc. (General Serv.).

**Alfred Gels**, ASC, "I Married Joan" series of 1/2-hour comedy films for Joan Davis Prods. (General Service).

**Jack Greenhaigh**, ASC, "This Is The Life," series of 1/2-hour religious dramas for Family Films Television, Inc.

**Russell Harlan**, ASC, "Scholar Playhouse of Stars" series of 1/2-hour dramas for Meridian Pictures, Inc. (Goldwyn).

**Fred Jackson, Jr.**, ASC, "The Red Skelton Show," 1/2-hour comedy series for Key Productions (Eagle Lion).

**Benjamin Kline**, ASC, "Fireside Theatre" series for Frank Warner Productions (Eagle Lion).

**Kenneth Koch**, ASC, "Family Theatre" series of 1/2-hour dramas for Jerry Fairbanks Productions (Fairbanks).

**Robert Pittack**, ASC, "Lone Ranger" series of 1/2-hour westerns for Jack Chertak Productions (General Service).

**Clark Ramsey**, "Adventures of Kit Carson" series of 1/2-hour westerns for Revue Productions (Republic).

**William Sechner**, ASC, "File of Jeffrey Jones" series of 1/2-hour mystery telefilms for Lindbergh Parsons Productions.

**William Seyler**, ASC, "Terry and The Pirates" 1/2-hour films for Douglas Corp. (RKO-Pathé).

**Harold Stiles**, "Big Town" series of 1/2-hour mystery dramas for Gross Kansas Inc. (General Service).

**Walter Strong**, ASC, "Trouble With Father" series of comedy dramas for Roland Reed Prod. (Hal Roach).

**Phil Tannen**, ASC, "Barry and Allen Show" for McCadden Corp. (Gen Serv.).

**Tom Tatarow**, ASC, special serial sequences for "Terry And The Pirates" series of 1/2-hour dramas for Douglas Corp. (RKO-Pathé).

**James Van Treas**, ASC, "Goncho Marx 'You Bet Your Life' show for Filmcraft Productions, NBC Studio.

**Gil Warranette**, ASC, pilot religious TV film for Scripture Films (KTTV).

**Fred West**, pilot religious TV film for Cathedral Films (Chaplin Studio).

When TV film production began its insurmountable struggle a couple of years ago, it was freely predicted that when the industry really got rolling, it would seek out seasoned studio cinematographers to shoot its video films.

This prediction has been fulfilled. Today, there are no less than 22 ASC members regularly engaged in photographing the important TV film shows in production in Hollywood.

Another 13 telefilms in the "Ramar Of The Jungle" series will go before the cameras November 28th, according to Arrow Productions. Clark Ramsey is scheduled to direct the photography.

Universal-International and Columbia have become the first major studios to clear the way for unhampered production of telefilms on their lots with the signing last month of agreements with Screen Actors Guild.

## Is Your Frame Line Showing?

A faulty camera aperture plate can cause plenty trouble when screening movies made with more than one cine camera.

By LEO J. HEFFERNAN

*Photos by the Author*

**A** SERIOUS PROBLEM which amateurs often encounter, when undertaking a group film production in which two or more cameras are used, is the constantly changing frame line that appears on the screen as a result of the intercutting of footage contributed by the different cameras.

Most of us at one time or another have witnessed the screening of pictures where the projectionist is kept busy re-forming the film each time it appears out of line—with consequent annoyance to the audience.

Why different cameras should produce pictures with different frame lines is a matter that has puzzled cine enthusiasts for years. Theoretically, they should all be the same—at least camera manufacturers aim to follow certain standards that have been established by the industry and which specify that the frame lines produced by 16mm cameras should intersect the sprocket holes exactly in the center—as shown in the middle film clip in Fig. 1 and again in the projected result, shown in Fig. 2.

A cine camera which produces pictures with the frame line above or below this position, as illustrated in Figs. 1, 3, and 4, do so for two reasons: 1) the aperture plate in the camera was not carefully set when the camera was assembled at the factory, or 2) it has slipped out of position during use. In either case, it requires the skilled attention of the factory or of an author and factory service man. Skilled camera technicians in various motion picture

centers, such as Hollywood, Chicago and New York also can render dependable service. The camera owner should never attempt the adjustment himself.

If, after acquiring a new or second-hand cine camera, the reader wishes to check it for aperture accuracy before starting to shoot, he may do so quite easily. Obtain a short length of processed film which shows the frame lines clearly and in correct position and thread it in the camera. Remove the lens, and just the camera down until the shutter is wide open. With the pull-down claw at the very bottom of its downward stroke, compare the frame lines on the test film with the top and bottom margins of the camera aperture plate. If no frame line shows, the aperture is correctly aligned. If a frame line shows in the aperture, the plate needs to be re-set to its correct position. Eastman Kodak Company incidentally, offers a special test film for this purpose, which may be obtained on special order from Kodak dealers or direct from Eastman Kodak Company in Rochester, New York.

If you are a "two camera" cine amateur, you probably need to give some attention to this frame line problem, because if your several cameras produce a different frame line result than that of your first, your movies made with the two cameras, when spliced together, will give you a bad time during projection. Certainly there is nothing more annoying than having to sit right

(Continued on Page 495)



FIG. 1—Bottom of three scenes, each made with a different 16mm camera, related together in this composite from the position. Camera scene is in perfect alignment, while scenes at top and bottom clearly show result of poor alignment of camera aperture plate.

FIG. 3—Poorly aligned scene in Fig. 1 reproduced on screen in same manner.

FIG. 4—The very poorly framed scene in Fig. 1 produces a screen image like this.

FIG. 2—Correctly aligned scene reproduces perfectly on the screen.



# BOLEX HAS STEREO

Marvelous Movies in 3 dimensions!



## *16mm Movies...in color... and in three dimensions!*

Puts the breath of life into every shot you take! Bolex Stereo Movies take people, not pictures... *human* experiences, not photographic records. They cost no more to take than regular movies. And another pleasant surprise...it's easy. Reduced to its simplest form, there are only two things to do...frame the scene in the finder and shoot. Bolex designers have done a superb job of simplification.

## *Projection is simple too!*

90% of all modern projectors may be used. Just slip out the present projector lens and slip in the Bolex Stereo projection lens.

## *Thrill to this experience*

Be first to make your movies breathe and live again! Years from now you'll see stereo movies from Hollywood, but you can pack that waiting period with stereo thrills unique to yourself and your intimate friends. See your Bolex Franchised Dealer today for a demonstration.

Bolex owners—receive regular free mailings of the 124 magazine "Bolex Reporter" by registering the serial numbers of your Bolex equipment with us.

Falldorf Products, Inc.  
845 Madison Avenue, New York 17, N. Y.



Breath-taking 16mm Movies with

*Bolex Stereo*



SYNCHRONIZING sound track with picture was accomplished in a professional manner by using stop-clock slide on every scene. Nothing spectacular in either Fleming or camera progress in short scene for his 16mm production.

FRED PFENING, JR. (left) used an Arden 16mm sound cam. on to shoot much of his screen for "It All Depends On You." James Brown assisted as sound man.



## Amateur's 16mm Film Promotes Annual Community Chest Drive

Chance to aid fund-raising gave this filmer opportunity to undertake his first 16mm sound production. Resourcefulness and careful planning made it a success.

By FRED D. PFENING, JR.

LIKE MANY OTHER AMATEUR MOVIE FANS who have long since tired of filming commonplace family subjects, I had given a lot of thought to shooting a "big" 16mm production. Perhaps that is the reason I said "yes" without a second thought, when asked if I would produce a 14½ minute sound film for the United Appeals annual Fall drive in Columbus, Ohio.

In looking back to that fateful phone call, I think it would have been well to have asked a few questions before so readily accepting. At that time I didn't know that some release prints of the film would have to be ready for showing in six weeks. Also, I didn't know that certain sequences would have to be done in sync sound. But even after being fully briefed by the campaign com-

mittee on what they had in mind, it still seemed like an interesting challenge. It was a real opportunity to put into use all the "professional" methods I had read about in *American Cinematography*. Having moved into the sound class about a year and a half earlier, I now had a moderate amount of sound-on-film recording experience.

The first step was to work out a general outline of just what we wanted to accomplish with the film. Briefly, the film was to be shown on all three Columbus television stations a number of times, and was also to be used through the local Speakers' Bureau for showing to service clubs and employee groups. We decided to follow pretty closely the established technique used in professional TV films—a minimum of long shots and lots of medium and close shots.

Working from the outline we prepared a full shooting script. The story theme called for using a typical United Appeals (Community Chest, Red Cross, Etc.) solicitor, Jim Thomas (stands an

(Continued on Page 492)



For brighter, crisper movies  
load with *Ansco Hypan Film!*

You'll never know how sharp and brilliant your black-and-white home movies can be until you see your first pictures on famous Ansco Hypan Film! ... Ansco Hypan Reversible is a modern fine-grain panchromatic film with inherently brilliant contrast that puts new snap and sparkle into your movies. Hypan's high exposure indices of 40 daylight and 32 tungsten are especially welcome these shorter, dimmer days, or when making pictures indoors. You'll find real economy in Hypan's low price, too—important savings that let you make many more feet of high-quality movies within your normal budget. Look for Ansco Hypan for 8 and 16mm cameras ... at photo dealers everywhere!

ANSCO, Binghamton, N. Y. A Division of General Aniline & Film Corporation.  
"From Research to Reality."

Ask for  
**ANSCO  
HYPAN  
FILM**

## PRODUCTION EQUIPMENT

**ARMPLX** 35mm camera model II, complete with two 100 mag. slides, \$2, 10.  
35mm Auto lens, case, included \$99.00

**ARMPLN** 35mm camera model II, complete with two 100 mag. slides, \$3, 10.  
35mm Auto lens, case like new \$1, 295.00

**DISPATCH** Vinton Newsweek's current staff-  
ers type like *Walden* (p. 30) "mag-  
azine" describing children 40 50 150p  
Asian issues, about the situation 250-30

**SAVE REAL** Over 1000 new records! JMC00-01, 1000 mag. type vector, variable stars, value \$7 000 00 completely reconditioned and offered at the special price of \$1 495 00.

**FEARLESS BLIMP** by Mitchell Toman seen.  
one follow lower value \$1,200.00 overlast  
time on

MOLE RICHARDSON covered pan and lid	24.90 00
hand tool glass rivet	24.90 00

```

SUMMAR: Iteration complete with value
min and max value 51,800 00 like new
                                0945 00

```

T.J. COOKE 20-year telephone T.O. [unclear]  
and [unclear] like [unclear], BOM [unclear] 2175-00  
BUDGETARY [unclear] 2188 [unclear] and

shone, complete with heavy duty motor  
classless steel tank, feed-in chopper,  
plated tank and steel in 1000.00. 2000

AMPB 10mm no internal Arc projector  
1) speaker value \$1,800.00, 1800 new

CHAMBER 1000	\$495.00
CHAMBER 1000 and 10000	\$10.75
CHAMBER 10000	\$15.00

[illegible]

## BUT — HILL — TRADE

THE CAMERA MART, INC.

1845 Broadway, near 60th Street  
New York 23 N.Y. Circle 8-0580  
Cable Address: Camurand

## IMAGINATION FOR SALE...

Over twenty years in photography has given me knowledge of color, lighting and composition. Proven creative and technical ability. Currently directing photography of half-length theatrical feature on Home Eastern Color negative. Capable of supervising full production and will go anywhere. Second week of November and parts of December and January open.

## HOWARD CAGLE

18 East 64th St. New York  
NY 10022

### Automatic Daylight Developing Tank



• Promotes up to 200 FL  
 • Bone Density Zones  
 • Matrix-A, B, C—Wardline  
 • Major Artery—Arteries  
 • Tougher Arteries  
 • Plasma Quality Assured  
 • Bone Tissue also available  
 • Controlled

Write to: Free Literature Dept. 6  
 275 West 10th St.  
 New York, N.Y. 10011

## TITLE LETTERING

... for your TV Commercials  
Any style lettering composed and  
photographed or optically superim-  
posed on any film or video picture.

**RAY MERCER & CO.**

Send for Free Optical Fibers Chart

### AMATEUR'S 16mm FILM

(Continued from Page 458)

United Appeals meeting because the boss requests him to be there. He doesn't want to have anything to do with the campaign, either as a donor or a solicitor. So the boss tells him to take the day off and visit some of the agencies for a first hand view. He does this and is converted. He returns and offers his services to the boss and goes to work on his fellow employees.

Gene Paul, who was cast as Jim Thomas, is an active little theater player and also is assistant factory superintendent for The Fred D. Plinning Co. Other theater group people also were used in the cast.

An attempt was made to secure outside help in shooting some of the less important shots, but because of this close deadline, I was unable to enlist any and other than was used in the hyacinth sound sequences. So it would again be almost a one-man job, similar to John Casart's efforts in Atlanta last year. (It was necessary to take a two-week "vacation" to do most of the shooting.) This was not too much of a problem, in fact it may have been a lucky happening as it allowed us to move fast, and to have only one train of thought in planning the production as well as the camera angles.

The shooting script, as well as the final script, was written by Wilbur De-  
mar, executive director of the United  
Appeals of Franklin County. His as-  
sistant, John Picic, made all location  
arrangements and accompanied me on  
location shooting.

We decided to use the negative-positive system, rather than reversal and a duplicate negative. That original thinking was to use the single-system sound on the negative position and duplicate the sound on one film and the picture on the other. Two reasons lead to the decision to use the double system. First, double-system editing was involved either way, so there was no relief there; and secondly, it was felt that the overall picture quality would suffer if some duplicate picture negative was inserted with original camera negative. For this reason, Eastman Background-X negative stock was used exclusively in the film. A local television which has facilities for negative-positive developing, did this work for us in record time delivering answer prints in two or three days.

Since we had no control over when appointments could be set up at the different agencies that were to be portrayed in the film, the sequences were not shot in order. Using a slate at the beginning of each scene solved the problem of editing. Although we est-

We wound up expending nearly three times the footage needed, which proved to be of great help later in the final editing.

The basic lighting for exteriors consisted of spot-type photo-flood lamps. In most instances we used three to five from front and side, and one or two as backlights. Since most shots were held at around fifteen feet the problem of background lighting was not too great. On our first day's shooting, we learned to have plenty of fuses handy. Also, the wiring in some of the community centers and shelled-out work shops, being very old, presented some lighting limitations.

Fibers and reflectors were used on all outdoor shots. The exposure was held to 1/15 during most of the indoor location shooting. A Canon F1 lens was used most of the time, with a 25mm being used for all closeups. A 50mm and a 60mm were used sparingly. Using this range of lenses, the Bores H 66 proved a highly efficient and flexible camera because of its handy turret which allows quick change of lenses from viewing to taking position.

All of the location scenes were filmed in ten days. Since all dialog scenes centered around Jim, his boss, and fellow employees, the plant of The Fred D. Flensing Co. was used for staging these. Here, scenes were made in the office, the dealing room, and the sheet metal layout department. Studio type spot and flood lights were added to our photo-flood lighting equipment, thanks to the additional electric power that was available.

The Arcaflex double-system sound recording equipment worked very smoothly. An average of three takes were necessary on each scene, and, of course, each scene involved a new camera angle. In changing camera angles, so when moving from a medium to a close shot, we made a point of always moving from a front to a side shot or vice versa. We had come to know from experience that it is difficult in editing to cut close and medium shots filmed from the same angle.

Two synchronous Auricon-Pro 16mm cameras were used for the lip-synch shooting—one as a sound recorder and the other for picture. The poor acoustics of the relatively bare factory room was overcome by hanging heavy blankets around the immediate area where shooting and recording was done. This combined with the use of special sound film stock, enabled us to achieve remarkable sound quality. In fact, the sound quality was so good it would not have been necessary to record if



the new "Balanced" TV Head  
is doing a whale of a job every day



ANCE prevents rubbing if the pen is not applied. Quick release pen is in desired position. Mechanism is enclosed, rust-proof, needs no lubrication. Tension adjustment for Comber Men's preference. Built-in spring level. Telescoping extension pen handle. We defy you to get anything but the smoothest, most efficient operation out of this priced beauty.



Runs in perfect synchronization with either 16mm or 35mm Sound Recorder. Mounting platform permits removal of magazine while camera remains mounted on motor. Spring steel drive for coupling prevents damage if film runs short.



Handles all 16mm cameras, with or without motor. Also 35mm Bery, 8 & 16 frames with and without motor, and 400' magazines. Traped lens interchangeable with Professional Junior gear drive head. "Baby" Traped lens and "Baby" head available.

*We Rent and Service  
Cameras • Movieolas • Dollies*

Complete line of 35mm and 16mm equipment available for rental.

MITCHELL: Standard, Hi-Speed  
BNC NC 16mm  
REIL & HOWELL: Standard,  
Shiftover, Eyemo  
MAURER: 16mm Cameras  
Editing machines, Synchronizers

## We Design

and manufacture  
Lens Mounts  
and camera  
equipment for  
16mm—35mm  
TV cameras.

FRANK C. ZUGER  
CAMERA EQUIPMENT CO.  
1600 BROADWAY NEW YORK CITY

*We Calibrate Lenses* Precision "T"  
STOP CALIBRATION of all type lenses, any focal length.

Our method is approved by Motion Picture Industry and Standard Committee of SMPTE. For proper exposure density, it is important that you have your lens "T" stop calibrated, lenses coated for photography. Special TV coating. Rapid service.



exchange for timing our footage.

Some time as well as cost was a factor, it was decided that no optical effects would be used in the final cut. The fades and dissolves have not been timed and the continuity held up well to the end. The final cutting reduced the total number of scenes to 18. After the work print was cut, the narration script was written. All scenes were timed and cued for the narration. The work print was projected at a sound recording studio where the postrecording was done. The lip sync scenes were then cut into the narration track. This was then printed with the edited picture negative to produce the release prints.

All of this amounted to quite an expensive job. A rough breakdown on the time consumed shows that shooting required 60 hours, editing work print 25 hours, and recording the narration about 4 hours. Because of the tight time schedule it was necessary to have the film lab take over the job of matching the original negative to the edited work print.

Then, six weeks after the first scene were before the camera, our film, "If All Depends On You," was finished. When the final drive began, a total of fourteen prints instead of the 9 originally planned were in circulation. Prints were screened as often as 19 times daily during the drive. In addition, three Columbus, Ohio, TV stations televised the film a total of ten times.

Needless to say, producing the picture proved to be a great deal more work than I realized the day I actively agreed to undertake the assignment. But it also proved a wonderful education to me as well as demonstrating what a serious amateur can do in the way of making films above the amateur level, once he puts his mind to it.

## FRAME LINE SHOWING?

(Continued from Page 40)

by the machine as you screen a show, repeatedly working the framing lever in an effort to conceal the frame line error in your movies.

Frame line irregularities show up most often in films produced by amateur cine club groups in which several members contribute footage. It's happened to me and my club associates. Today we test and make sure all cameras render uniform frame lines before they are permitted to take part in a joint production.

Nor is this frame line bugaboo confined entirely to amateurs. I've seen the fault many times in professional and semi-professional 16mm films. Indeed, film libraries today still have many reels which show this glaring fault.

# Coming Up- Perfect Precision Prints

## WE CALL IT "VELVETING"

Every original submitted to the Laboratory is carefully cleaned at the outset and kept that way throughout every operation. Specially designed cleaning machines combine with Precision, do the work . . . supplemented by careful hand cleaning, or "velveting."



## YOUR ASSURANCE OF BETTER 16mm PRINTS

15 Years Research and Specialization in every phase of 16mm processing, visual and aural. So organized and equipped that all Precision jobs are of the highest quality.

Individual Attention is given each film, each reel, each scene, each frame — through every phase of the complex business of processing — assuring you of the very best results.

Our Advanced Methods and our constant checking and adoption of up-to-the-minute technique, plus new engineering principles and special machinery

enable us to offer service unequalled anywhere!

Newest Facilities in the 16mm field are available to customers of Precision, including the most modern applications of electronics, chemistry, physics, optics, radiometry and densitometry — including exclusive Maurel-designed equipment — your guarantee that only the best in your art is Precision!

# PRECISION

FILM LABORATORIES, INC.  
23 West 46th St.  
New York 1, N. Y.  
JU 3-3970

Precision Film Laboratories — a division of J. A. Maurel, Inc. — has 14 years of specialization in the 16mm field, consistently meets the latest demands for higher quality and speed.

Right: Moody Institute of Science installation using Stancil-Hoffman Magna Film Recorder

Below: Model S-5 Magna Film Recorder—Sole Mounted



MOODY INSTITUTE USES S-5

"Our Stancil-Hoffman S-5 Magna Film Recorder currently carry the recording load in our laboratory—they are doing a marvelous job! We have heard the S-5 is used at several other notable operations," says Dr. Arlin A. Moody, Director of Moody Institute of Science

## HOW YOU SAVE WITH THE S-5 RECORDER:

1. Lower investment cost—complete recording system now within your budget.
2. Versatile—single/fixed, photo, battery operation, 12.5, 25 and 38 mm, in varying sizes for rock mounting.
3. Functional design and precise engineering reflect operating costs and maintenance.
4. Perfect synchronization without test or scratch hole in original film, interlocked push button controls.

write for further information for

1616 N. Highland

Hollywood 28,  
California

STANCI-



HOFFMAN

New York  
Chicago

Atlanta  
Boston

Mobile 7415

Cable Address:  
SHAMOFF

COMPLETE RECORDING SYSTEMS FROM MICROPHONE TO RELEASE PRINT

## Model M52 SENSITESTER

★ IMMEDIATE DELIVERY  
to the lab owner interested in—

QUALITY  
EFFICIENCY  
ECONOMY

- DUAL MACHINE  
1—Sensitometer  
2—Scene Tester
- HIGHLY ACCURATE  
Electronic timer unaffected  
by climatic changes.
- NEW TYPE LONG-LIFE  
Cold Light Exposure Unit
- WITHOUT ADDITIONAL  
EXPENSE will match any  
printer

- \$1675.00 35mm Model
- \$1875.00 35mm-16mm  
Combination Model

F.O.B. Hollywood, Calif.

ART REEVES MOTION PICTURE EQUIP.  
7512 Santa Monica Blvd.  
Hollywood 46 California



Remember this, if your camera shows evidence of faulty alignment of the aperture plate, almost all 35mm and 16mm cameras made today permit adjustment of the aperture plate. If faulty alignment shows up in a new camera prior to expiration of the camera service guarantee, you can return it to the dealer or to the factory for adjustment without charge. In any event, do not attempt the adjustment yourself. If you need quick service and can't tie up your camera long enough to have the factory adjust it, consult the classified pages of your telephone directory for a reputable camera repair service or ask your camera dealer. The adjustment is easily made, and for a nominal charge. The result will be neat and professional-like presentation of your movies on the screen.

## THE STEEL TRAP

(Continued from Page 478)

One example of how the battery power source was used to advantage was when making the running shots of the taxi, shooting from inside the car with the players in the back seat. Two taxis were securely tied together in tandem, as shown in one of the accompanying photos. The players, Lando, the director, camera, and camera crew were crowded into the second taxi; the sound recording equipment and power supply batteries were in the first taxi along with the driver, a gaffer, and sound recording engineer. Thus, the two-taxi unit operated independently of outside power sources as it roamed downtown Los Angeles streets, recording action with genuine backgrounds that ordinarily would have been produced (at undoubtedly greater cost) on the sound stage using background plates. Such shots were made both day and night.

"My chief photographic problem in making these scenes," said director of photography Lando, "was to balance my lighting inside the taxi to match the daylight coming through the taxi windows. For this, and for numerous other shots of similar nature, I utilized panels of tinted plexiglass having about 50% light transmission, placing them over the windows to cut down intensity of the daylight."

Similarly, when making shots of the place interior as the destiny, the windows also were covered with plexiglass.

The downtown Los Angeles look, which provided the interior settings for much of the action of the picture, probably posed the major lighting problems for Lando and his crew. Working on time with Colartman and a few Juniors, excellent results were had in filming the office scenes and scenes in the guest

with its shooting scenes in the vast cavernous interior of the bank's main floor, Lasko had the advantage of some daylight coming through the windows; but when the story called for scenes where windows backgrounded the action, it was necessary to resort to use of the light-reducing plextex panels over the windows.

It is natural to conclude that luminification of the film was employed in order to obtain satisfactory photographic results. This was not the case, however. Using the limited lighting equipment previously mentioned and a set of choice lenses and fast panchromatic film, Lasko achieved a realistic documentary type of photography that could hardly have been duplicated, shooting the same scenes staged in the studio.

The bank scenes were photographed each day after the offices closed at 5 p.m. and up until midnight. The company worked the following Sunday all day, which enabled it to shoot scenes in the open offices, the teller's windows, etc., unhampered by people who would normally gather to watch a movie company shooting pictures. Despite the limitations of the lighting, Lasko worked more or less consistently at a stop of 1/288. Where he had the advantage of daylight coming through the windows or interiors, the lens was stopped down to 1/85.

If the reader has assumed until now that the term "documentary," applied to Lasko's photography of "The Steel Trap," implies a quality less than that normally obtained in working on studio sets, let it be said that true documentary photography has a more realistic, natural quality, shorn of all the frills so often applied to lighting studio sets. It's a little more difficult shooting the "documentary" way. A cameraman must not only be unusually resourceful but have a genius for utilizing all the available light at his disposal.

Putting up this quality in Lasko's photographic technique in the sequence of shots he made inside Antoine's famed restaurant in New Orleans. The shots of the couple on the crowded dance floor are an exceptionally good example of genuine documentary photography accomplished with the aid of Cokinets, a single blinder for a key light, and the house current for power.

One of the more vexing problems for the company was the fact it had to travel light and therefore work without the advantage of a blimp on the camera. Whenever this seriously affected sound recording, camera "blinks" were used. When shooting within the limited confines of the TWA plane interior, it became necessary to put two blinkers on the camera.

Only one camera, a Mitchell, was used

# For Instant Movability and Advanced Design

## "HYDROLLY"

(TV — CAMERA DOLBY)

Hydraulic lift type for fast upward and downward motion, all TV and Motion Picture cameras. Light-weight — sturdy — easily transported in a station wagon. Fits through a 28" door. Adjustable leveling head in-line wheels for back and steering wheel and floor locks.



## PRECISION-ACCURATE "SYNCHRONIZER"

16mm or 35mm

IMMEDIATE DELIVERY!



Any combination of sprockets assembled to your specifications. Sturdy cast aluminum construction. Fast linear type, with frame divisions engraved on sprockets. Contact relief adjusted individually for positive film contact. Fast finger-tip release mechanism. Sprocket shall slip lock, complete with linkage coupler.

## VARIABLE SPEED MOTOR with TACHOMETER

for Cine Special or Maurer Camera

115 V. Universal Motor—AC-DC  
Variable Speed 8 - 64 Frames  
Separate Base for Cine Special  
Adapter for Maurer Camera

### INTERCHANGEABLE MOTORS:

12 Volt DC variable Speed 8-64 Frames.  
115 Volt AC 60 Cycle, Synchronous Motor, Single Phase  
Universal Motor, Cine Special, Maurer, 8 1/2 H. Mitchell  
Motor for Bell and Film Camera Time-Lapse Equipment



- Lens Coating • "T" Stop Calibration
- Designing and Manufacturing lens mountings and camera equipment for 16mm and 35mm cameras.
- Baush & Lomb "Balker" Lenses and others for Motion Picture and TV Camera.
- Rentals — Sales — Repairs: Mitchell, Eumex, Bell & Howell, Wall, Cine Special Cameras.

Write for information and prices



**NATIONAL CINE EQUIPMENT, Inc.** 209 WEST 48th ST. NEW YORK 19, N. Y.

# Recoup Cost Quickly with



*Bridgomatic*  
FILM PROCESSING EQUIPMENT

Control your production from the start — **BRIDGOMATIC** straightline "Add-A-Unit" idea lets you buy the basic machine with stainless steel tanks, then add re-circulation, aeration, refrigeration, replenishment, filtration, etc. as needed. Costs little more than old fashioned, cumbersome slow moving rack and tank methods. **BRIDGOMATIC** removes the "guess" saves valuable time, protects precious negatives, produces cleaner pictures. Develops and dries ready for showing same day events occur.

**BRIDGOMATIC 219K35** Combination  
16/35mm. Positive film speed 500' per  
hour \$4,495

**BRIDGOMATIC JR. \$1095**  
Good for small lots, per speed 400' per hr.

**AGENTS FOR:** Acme Amateurs, Audiotape Super 1200 Concept, Bantex & Moulton Smith, Bell & Howell Projectors, Blue Leaf Cameras, Bolder Redwood Systems, Century Lighting, Century Lite, Century Dufin, Kellin Saunders, Kellin Saunders Optical Research, Magnusson, Minsky Printing, Mole-Richardson Light, Moulton, Precision, Speed Masters, Rite Ranger and Cinecolor, Studio Sound Systems and Technicolor. Many Items Available on Time Payments.

**S. O. S. CINEMA SUPPLY CORP.**

DEPT. B  
402 W 32nd ST., N.Y. 19  
Call 500-2480

## C. ROSS

FOR

### LIGHTING EQUIPMENT

Inkies and Arc Lamps Including Required Accessories  
Generators—Cables—Boards—Boxes

•

Ruby Camera Crane—Dollies—Blimps—Geared Hoists

•

### GRIP EQUIPMENT

FOR LOCATION AND STUDIO

Parallels—Steps—Platform Ladders  
Century Steads—Reflectors—Flags—Scrima

•

SOLE EASTERN MOLE-RICHARDSON CO. DISTRIBUTOR

RENTALS • SALES • SERVICE

•

**CHARLES ROSS, Inc.**

333 WEST 52nd STREET

NEW YORK 19, N.Y.

Circle 5-5470-1

as the entire production and in no instance was done from a tripod. All shooting was done from a tripod. Nor were there any process or special effects used. Effects normally done in this manner were incorporated in the original filming as, for example, the plane and taxi interiors in which the backgrounds, seen through the windows, are the real thing.

This is not the first experience for Laszlo in applying documentary photography to feature productions, although it is the first instance in which he or anyone else has applied it to such an extent. It was Laszlo's flair for documentary photography that marked the potential success of "D.O.A." and "The Wall," and which added luster to "The Sea"—Bette Davis' starrer soon to be released.

While it may be true that pictures such as "The Steel Trap" are made to order for documentary camera treatment, it is quite unlikely that a cameraman having little or no experience in this type of treatment could achieve the dramatic photographic quality that marks "The Steel Trap." There's ample evidence as the picture unfolds on the screen that more than ordinary brain-work went into the planning of the photography of this picture. For those who'd like to study the camera work closely, we recommend a second look at the picture; you'll be too busy holding on to your seat the first time you see this thriller to think of the photography.

## CINERAMA

(Continued from Page 481)

ing between them. This problem was solved by what technicians call "juggles"—tiny galleys that look like combs having teeth along one edge. These are fitted on each projector on the side of the film track and juggle up and down along the edges of the picture area of the film at high speed. These little saw-toothed "daggers" define the edges of the three Cinerama film strips where they join on the screen, blending them together at the margin without a conspicuous dividing line. Incidentally the oversized movie which feed film to each of the three Cinerama projectors hold 7,500 feet of film, which runs up to 50 minutes on the screen.

The stereophonic sound that brightens the realistic illusion of Cinerama is as new and unusual as the visual effect. When a Cinerama production is being photographed, five microphones are placed to pick up the sound in different areas of the scene. One to three others


are placed well off to one side, or behind the camera, to pick up the sound of people voices, running engines, or whatever may be approaching or leaving the street. Each microphone leads to a recording head on the master multiple magnetic film recorder set up usually near the camera. This sound is reproduced in the theatre through five speakers arranged behind the screen—one for each of the sound tracks recorded from the set. Other speakers are placed on the walls of the theatre and another at the rear. Each speaker thus reproduces the sounds picked up by the individual mikes at a point corresponding to its position during filming, and thus produces the unusual effect of realistic sound which is an important feature of *Genevieve*. When a motorboat, for instance, roams across the screen, the noise of its engine begins as the boat emerges on the screen from one side, and continues coming from the position of the boat as it travels to the other side.

Title of the initial public presentation of *Cinecittà* is "This Is Cinecittà." Filmed in Technicolor, it comprises a number of unrelated subjects—a sort of mélange of short subjects each complete in itself—and include, The Roller Coaster, A Ballet, The Fourth Wonder of the World, Handel's *The Messiah*, Venetian Boatmen, Kites and Tartans, Torredore, Spanish Rhythms, The Vienna Boys Choir, The Finale from Act II of *Aida*, Rare Beauty and Fast Action, and America The Beautiful.

Harry Squire is Cinecittà's cameraman. There will be others, of course, as Cinecittà develops and expands; but Squire is the man who worked so avidly as did Fred Waller to make Cinecittà a pictorial success. The photography — "This Is Cinecittà" is a story in itself, one we hope Harry Squire will write for an early issue of *American Cinecittàgrapher*. He isn't that you'd call quiet and retiring, yet today, after the tremendous work and the multitude of experiences he has encountered putting action on Cinecittà film, Squire says simply, "It's all routine to me." But the material he photographed for *Giuliana's* initial public presentation is far from routine stuff, so the credit will go should he be lucky enough to witness a screening of this initial Cinecittà production. Squire found there weren't enough lights in Italy to illuminate the stage in filming *La Scala Opera Company's* brilliant presentation of the "Aida" score in an Italian theatre; additional lights had to be flown in from England, along with extra generators. He mounted his heavy Cinecittà camera on the bow of a speedboat to capture thrilling footage of water sports in Florida. To film water-level shots of *Cyrano de Bergerac's* lovely Acropolis

## Westrex Distributes

**Reeves Magnetic Film and Tape. Featuring...**



- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>● <b>ECONOMY OF SCALE</b> and cost saving life</li> <li>● <b>IMPORTANT ADVANTAGE</b> accounted by substantially increased loading</li> <li>● <b>REDUCED STYNAMIC BENDING</b> because of lighter and</li> <li>● <b>BETTER PRODUCTION CAPACITIES</b> container in industry situations</li> <li>● <b>POLYMER COMPOSITES</b> reduce dramatically weight</li> <li>● <b>LOWEST WEIGHT</b> because of the dependence on engineers and the maximum profitability</li> <li>● <b>VERY HIGH</b> results from creating mobile gear</li> </ul> | <ul style="list-style-type: none"> <li>● <b>LOW DAMAGE RATE</b> caused by use of new 30 years service life film form</li> <li>● <b>REDUCED PLACING</b> or cutting off greatly reduced due to high effectiveness of transport and</li> <li>● <b>IMPROVED DURABILITY</b> achieved by a special loading process that minimizes cutting</li> <li>● <b>VERY HIGH DURABILITY</b> of the first film to support structure as it is not so soft</li> <li>● <b>CONTAINER UNLOADED</b> LEAST TIME ATTENTION FOR can be obtained with a uniquely designed – so called automatic unloading</li> <li>● <b>RECOVERY OF UNDEVELOPED POTENTIALS</b> FOR use after be used for additional production</li> </ul> |
|--|---|

Wavrec now distributes Revere Soundcraft full-coated magnetic recording film, "Magna-Strip", and magnetic tape in line with its policy of providing studios with the finest recording equipment and accessories.

<sup>10</sup>Department of Human Geography.

## Research, Distribution and Service for the Motion Picture Industry



Westrex Corporation

### Precision Built Combination Magnetic Film and Tape Sound Reader

Features: temple binding; primary classification done with needle bearings; construction: five rollers for 16mm, 17mm, 21mm and 31.8mm tape, machined to conformance with SMPTE standards; and equipped with steel bearings, precision ground shafts. Magnetic head mount with adjustment for track location, azimuth, and magnetic film and tape thickness. dimensions 66x11.

Amplifier: 117-volt—60-cycle—AC  
power output—4 watts heavy duty  
Alkaline V speaker: safety fused  
light: 4-ft heavy duty line cord.

Net Price \$198.00 F.O.B. Eastern, N.Y.

**PRECISION LABORATORIES**  
244 West 45th Street, New York 23, N. Y.



Squire had his crew cut a canoe in hall, mounted his Cinemas camera on a platform attached to the open end of the front section. A special camera scaffolding was built in one of the Cypress Gardens lagoons so that the outboard motor boats could come into the scene from beneath the camera. Cinemas photography presented new and interesting problems, none of them difficult—all of them challenging.

Since Cinemas's public debut, there has been tremendous interest generated in this new motion picture innovation. Those who have not yet witnessed it on the screen quite naturally ask about its future, what its effect will be on the motion picture industry, what, if anything, will it do to change motion picture photography in general, and if it can be applied to television.

It is not likely that Cinemas will play a part in television films for sometime to come. Nor is it likely to replace general feature film production. Cinemas is in a class by itself. Its field is in the field of the super-spectacle film production. Its extreme wide angle screen is not ideal for the tight closeups so now we see in dramatic films Cinemas de aside stories of great action and potential scope. Such pictures as "Don Vidas," "The Greatest Show on Earth," "Invincible," etc., would have been tremendous Cinemas presentations.

Interest in Cinemas is likely to continue at a high level with industry heads waiting the day it can turn a profit for theaters. James Jernall, writing in "Boxoffice" for October 11, 1952, said:

"Money—lots of it—is required. A three-camera filming unit, in addition to the regular camera crew in studios, could triple unit costs. This wouldn't be an insuperable objection if the public

should respond. On the other hand, six projection machines in three booths, six operators on duty in places where two men in a booth are required, and the first cost of installation running up to \$75,000 could fill an exhibitor with alarm.

"How to focus attention on one or two or three or four actors in dramatic productions when the screen is the width of the theatre is something else that will require study. When Microscope was introduced with 'Old Ironsides' about 25 years ago, the screen was suddenly enlarged by pulling back drapes and then closed again with the same speed for the regular lenses. It may be possible to do this with Cinemas.

"Most exhibitors will watch developments with open minds."

The addition of Louis B. Mayer to the Cinemas organization has accelerated interest in the process. It is reported that most of the major Hollywood studios have made inquiries about utilizing it. Since Cinemas, Inc., owns all patents, it would be leased to studios.

Just how Cinemas presentations will be set up throughout the country has not been decided. There have been hints that the company would operate its own theatres. It now has equipment sufficient to operate three. At present, installation cost of equipment for Cinemas showings in theatres costs from \$25,000 to \$75,000, depending on the theatre. It will be much lower, Cinemas heads say, when mass production of equipment begins. Eventually, the three projector system will be replaced by a single projector, operating much the same as does the single unit, three-lens Cinemas camera. Thus, it is said, will make the process economically feasible for even small town theatres. END

## WHY I USED THE GARUTSO LENS

(Continued from Page 482)

the greatest freedom of movement, it was necessary to keep both players in focus at all times. Having the advantage of maximum depth of focus and using normal set lighting, we achieved a more plastic and natural photographic range. Only in this way were we able to do the unusual lengthy scenes of sustained action and thus permit the players the full scope of their familiar stage technique. One such scene, incidentally, runs approximately seven minutes on the screen; the two players move back and forth on the set in various planes of focus, the camera following them and at all times keeping both players in sharp focus, thereby obviating the necessity of individual closeups.

Most of the scenes were photographed

with the Garutso balanced lens set at f/2.8, its maximum stop. In spite of this wide aperture, the desired depth of focus was achieved and at the same time the full quality inherent in the lens at its widest aperture was retained. The depth of focus thus obtained is comparable to that made possible with other lenses working at approximately f/4.5 to f/5.6.

It is recognized by photographers generally that practically all lenses deliver their most pleasing quality when working at their rated (widest) stop, and this is no less true of the Garutso. The reason is obvious. If increased depth of focus is desired, it is obtainable in the conventional lens by stopping down the aperture. The greater

the depth of focus desired, the smaller the stop used. As the lens is stopped down, its light transmission is reduced proportionately. This means a increased loss of exposure, a loss which can be equalized only by the addition of increased set illumination. Add to this the fact that the above method increases the almost microscopic sharpness and contrast to a degree that is acknowledgedly undesirable in most productions; also, that the lens in question was designed to give peak aesthetic results at its rated aperture.

Why does the Garutso achieve the efficient depth of focus we found so desirable for "The Four Poster"? Perhaps a description of the lens is in order at this point.

In the past many attempts have been made to achieve a satisfactory depth of focus at wide aperture, the most notable of which to my knowledge being the efforts of a Dr. Dietrich, now deceased. His method consisted of a mechanical device by which a standard lens was oscillated between two given points, thereby changing focus of the lens from one plane to another. This method, however, possessed many obvious faults and was soon abandoned.

Lester, Stern E. Garutso, an optical researcher, sought the answer to the problem of deep focus along basically revolutionary lines. He succeeded by adding a secondary plane of focus at a predetermined distance from, and in relation to, the established focal plane of the basic lens itself. His method consists of adding to the basic lens an auxiliary optical element that interferes with a portion of the actual lens area itself. This added element is carefully prescribed and ground so that the center portion allows an uninterrupted transmission of the image to be photographed through a sufficient area of the original objective lens. Thus, there is projected on the film an image comparable to that normally produced by the original basic lens. In addition the outer ends of the added element creates, through the portion of the original lens obstructed by this area, a second image of a predetermined added plane of focus. This second image is placed in perfect registration over the image projected by the uninterrupted portion of the lens, with the result that the use lens now has become virtually two, each projecting its own image, of a different plane of focus, directly over the other and in perfect relation thereto. The final result is a picture that contains within itself two completely detached planes of focus.

It must be noted here, that the two images thus superimposed must of necessity be identical in size and in exact registration, also, as the basic focus



of the lens is altered to meet the requirements of the subjects being reproduced; the secondary plane also alters itself in relation to the varied focal lengths of the lens during this period of operation. This action is controlled by a basic optical law which states: it is mandatory that the depth of focus vary as the focal length of the lens is changed for the purpose of bringing objects at various distances into focus.

His way of illustration let us assume that the area of critical focus necessary at a given time is the distance between ten feet and infinity. During the course of the action being photographed it becomes necessary to bring the forward plane of focus up to a much closer object that has been introduced into the immediate front of the lens. As the focal length of the lens is increased to accommodate this new plane of focus, the area of depth of focus must decrease, by established law, in relation to the increased focal length of the lens. In the case of the Garoto method, this relation of change in depth of focus maintains, but to a lesser degree, and in proportion to the greater depth of focus. This may be observed in a practical way through special study of several scenes in "The Four Poster," most notable of which are the scene with the husband standing before an open window, with his wife in bed some distance behind him, the husband reclining in a semi-closeted, tossing beds at the room lights in an effort to extinguish them as his wife pretends slumber in the lower portion some distance beyond, the opening shot in the tops sequence, and several others. These scenes especially demonstrate how the Garoto balanced lens made it possible, because of the depth of focus achieved at wide aperture, to secure the desired focal range without employing excessive illumination. To have followed the conventional technique of small aperture and an abundance of set illumination would have increased contrast and overall sharpness. This would have tended to spoil the poetic quality of the picture and produce photographically a mood not in sympathy with the story. It should also be noted at this time that I employed all of the usual methods of added optical diffusion commonly used to achieve the photographer's mood which prevails in "The Four Poster."

In spite of some opinion to the contrary, it has been my finding that, aside from the technical advantages afforded by the Garoto lens, which are undeniable, the results to the objective viewer do appear to have an added aesthetic quality. This is due, of course, to the general increased usable sharpness of all essential planes, thereby elimin-

ating to a great extent the distortion that is usually present in all out-of-focus areas which, through use of this device, have been substantially reduced.

Opinions previously expressed as to the technical advantages of the Garoto lens over standard lenses have been substantiated by no less an authority than Robert H. King, Professor of Physics, California Institute of Technology. His evaluations, following critical examination of the lens, are set down in the accompanying graphs. "The results show," King wrote in his report, "that the Garoto reconstruction substantially increased the depth of field of the lens tested. They also show that the definition was maintained and, at larger angles, considerably improved."

Early in my experiments with the Garoto, I predicted that the proper application of added depth of focus would effect an economy of operation by materially reducing the number of required setups ordinarily made necessary because of the focus shortcomings of standard lenses, and at the same time permit greater fluidity in performance and direction. I think we have achieved all this in "The Four Poster."

## BALANCED LIGHTING BEST FOR TV FILMS

(Continued from Page 487)

In a scene, his face is sure to wash out and the dark area will respond in reverse with fringing and a white haze. Experience further shows that whenever a bright white area appears in a scene—and this includes white faces in closeup against a dark background—the area will wash out on the TV screen because the ratio between the white and dark areas is too great. A typical example of this occurred early in the Burns and Allen Show series. In both medium shots and closeups of Burns doing monologues between the intervals Gable is on stage, he was placed standing against a dark column that is part of the stage proscenium. The televised results were what one might expect—Burns' features were hardly distinguishable, result of too great contrast between his face and the immediate background. To correct this, we lessened the ratio of contrast between the two; put darker makeup on Burns and reduced the density of color of the background, bringing them more into balance. Incidentally, all our players are now using darker makeup than is generally used in films for theatre presentation, with consequent marked improvement in the TV screen quality. Thus we find that one of the most important rules for lighting and

(Continued on Page 503)

## MORE CONVENIENCE with LESS EFFORT



### PAR 400® Magazine for Cine Special

Consider the convenience of having 400 feet of film available for instant use, as well as the savings of time and effort formerly involved in changing 100-foot film magazines, and you can readily see why the PAR 400 foot magazine is a "must" for your Cine Special.

The PAR 400 foot magazine is operated by the camera spring motor with a PAR spring take-up, or by an electric motor drive. It is reversible for backloading, features a footage counter, and permits normal use of the 150-foot film diameter. Both daylight loading speeds and film at speeds of up to 400 feet can be used. The entire magazine is quickly and easily removed and can be used with the PAR Series Focus Magnifies.

Price by piece and quantity quotations on request. See Cine Special with a PAR Cinebot magazine.

PAR PRODUCTS CORP.  
905 N. Citrus Ave. Hollywood 38, Calif.

## COLORTRAN LITES

### IMMEDIATE DELIVERY

High-intensity Studio type Color Balanced lighting on low empyre elements. Portable equipment.

750 Spot Kit, three spots, one broad, medium, converter, case \$255.00

2000 Greener Kit, two floods, stand, converter, case; each and equivalent to 2000 watts at 1400 degrees Kelvin \$154.00

5000 Sealer Kit, two floods, stands, converter, case; each and equivalent to 5000 watts at 1400 degrees Kelvin \$198.50

Movie Model converter, accommodates 16 bulbs, built-in Kelvin control meter, plug-in beam \$285.00

Gray Kits, indispensable for good lighting control, three gobos, five flags, clamps, case \$113.50

The Camera Mart, Inc.  
18745 Broadway New York 28, N.Y.

**Schneib**  
In World-Wide Use

Produce more light and night effects in daytime by means of diffused lenses and many other effects.  
Inventories stocked on hand

**BENHUR FILMS COMPANY**  
1000 Broadway New York 10, N.Y.

# Current Assignments of A.S.C. Members

Major film productions on which members of the American Society of Cinematographers were engaged as directors of photography during the past month

## Allied Artists

- **WILLIAM SKEATON**, "Timber Wolf," with Kirby Grant, Chas. B. Sear, Rex Bender, director
- **KENNY MURDER**, "Sue Of Texas," with Wayne Morris, Lyle Talbot, Thomas Carr, director
- **HARRY C. NEWMAN**, "The Best of the Best," (Columbia) with Howard Duff, Helene Stanley, Wynne Burdette, director

## Columbia

- **CHARLES LANTON**, "Love Song," (Technicolor) with Jane Wyman, Aldo Ray, Alexander Hall, director
- **WILLIAM BRADGLEY**, "Pack Train," (Gene Autry Prod.) with Gene Autry, Smiley Burnette, George Archainault, director
- **HENRY FAHLGREN**, "Moons of Balphaz," (Laskay Pictures) (Technicolor) with Richard Conte, Linda Christian, Wynne Burdette, director
- **BRUNETT GUFFIN**, "Pass," with Borden Parker, John Derek, Alfred Werker, director

## Metro-Goldwyn-Mayer

- **FREDERICK A. YOUNG**, "Invitation To A Dance," (Technicolor) (Showing in London) with Gene Kelly, Igor Youskevitch, Gene Kelly, director
- **HAROLD LUTHER**, "City Of The Hanged," with Virginia Gardner, Berry Sullivan, and Polly Bergen, Joseph Lewis, director
- **RAY JOSE**, "Cade Two," with Ralph Meeker, Sally Forrest, Robert Horton, James Cagney, Kathryn Wyne, Jeff Richards, Ford M. Wicks, director
- **MILTON KRASNIK**, "Dance With," with Cary Grant, Deborah Kerr, Boris St. John, Buddy Bant, and Richard Anderson, Sidney Sheldon, director
- **PAUL C. VOGEL**, "The Clown," with Red Southern, Jane Grant, and Timothy Constance, Robert S. Leonard, director
- **CHARLES BONKER**, "Young Son," (Technicolor) with Jean Simmons, Stewart Granger, Deborah Kerr, Chas. Laughton, George Sidney, director
- **ROBERT FLANCK**, "Romance To Be Seen," with Jane Alyson, Van Johnson, Louis Calhern, and Vera-Allen, director
- **GEORGE FOLGER**, "The Band Wagon," (Technicolor) with Fred Astaire, Cyd Charisse, Vincente Minnelli, director
- **WILLIAM MELINDA**, "One A Girl A Break," (Technicolor) with Marge and Gower Champion, Debbie Reynolds, Stanley Donen, director
- **HAROLD LUTHER**, "Face Company," with Howard Keel, Polly Bergen, Nina Foch, Marjorie Main, John Ford, director

## Paramount

- **FREDERICK L. HENDERSON**, (Technicolor) with Tom Carlin, Joan Leigh, and Tom Tischer, George Marshall, director
- **GEORGE BARNES**, "Little Boy Lost," with Bing Crosby, Gladys Cooper, Nicole Maury, Chas. Fournier, George Seaton, director

## AMERICAN SOCIETY OF CINEMATOGRAPHERS

FOUNDED JANUARY 8, 1919, The American Society of Cinematographers is composed of the leading directors of photography in the Hollywood motion picture studios. Its membership also includes non-studio cinematographers and cinematographers in foreign lands. Membership is by invitation only.

### Officers and Board of Governors

- CHARLES C. CLARKE**, President
- FRED W. JACKMAN**, Exec. Vice-President
- AMSTER EMMERSON**, First Vice-President
- VICTOR MELINDA**, Second Vice-President
- LEE GARNER**, Third Vice-President
- WILLIAM SCAGLE**, Treasurer
- JOHN W. BOWEN**, Secretary
- HENRY KRAMER**, Representative from Los Angeles
- JOHN ARNOLD**, Representative from New York
- ROBERT DEGRANGE**, Representative from Chicago
- ALFRED GILES**, Representative from New York
- HAI MOORE**, Representative from New York
- RAY BERNARD**, Representative from New York
- JOHN KUTNER**, Representative from New York

### Alternate Board Members

- JOHN BONE**, Representative from New York
- WILLIAM DANIELS**, Representative from New York
- PAUL KADLER**, Representative from New York
- WYATT HOCH**, Representative from New York
- FRED W. JACKMAN**, Representative from New York
- CHARLES BONKER**, Representative from New York
- PHILIP TAYLOR**, Representative from New York
- JAMES VAN TASS**, Representative from New York

- **HARRY STRANDLING**, "Famous Female," with Ginger Rogers, William Holden, Paul Douglas, Irving Rapper, director

- **LUCILE LIVING**, "Here Come The Girls," (Technicolor) with Bob Hope, Tony Martin, Arthur Dahl, Claude Rains, director

## R.K.O.

- **NUCK NEGRACK**, "Split Second," with Sydney McNeil, Les Sorling, Alvin Karp, Dick Powell, director

## 20th Century-Fox

- **LEON SPAMANTY**, "Call Me Madam," (Technicolor) with Ethel Mergler, Donald O'Connor, George Sanders, Yvonne De Carlo, Helen Douglas, Ludwig Stroller, Charles Dingle, Billy BeWalls, Leonid Kinskey, and Walter Smith, Walter Lang, director

- **LUCILE LIVING**, "Baggage Of Fate," with Victor Mature, Abby Mann, George Marshall, Les Mayers, Nick Dennis, Michael Rago, Robert B. Webb, director

- **LEE TAYLOR**, "The President's Lady," with Susan Hayward, Charles Houston, Fay Bainter, Gladys Haggard, Charles Dingle, and John McLagay, Henry Levin, director

- **JOE MACDONALD**, "Thank My God To Thee," with Calum MacNeil, Richard Staalay, Thekla Riene, Jean Negulesco, director

## Universal-International

- **CLAY STONE**, "Law And Order," (Technicolor) with Ronald Reagan, Alan Reed, Susan Calton, Frances Foster, Dorothy Malone, Russell Johnson, Nathan Juran, director

- **WILLIAM DANIELS**, "Thunder Bay," (Technicolor) with James Stewart, Jeanette Davis, Gilbert Roland, Dan Duryan, Martin Bender, Mrs. Jay C. Hopper, Anthony Mann, director

- **CARL GOTTFRED**, "Night Flamingo," with Patricia Hardy, Leonard Fireman, Harvey Lowbach, Joyce Melton, Don Gordon, Jack Arnold, director

- **MAURICE GERTSMAN**, "Sweet Uprising," (Technicolor) with Jeff Chandler, Faith Domergue, Lloyd Bacon, director

- **ROBERT HENRY**, "Flame of Tomorrow," (Technicolor) with Ann Sheridan, Sterling Hayden, Douglas Sirk, director

## Warner Brothers

- **EDWIN DUFFIN**, "She's Back On Broadway," (WarnerColor) with Virginia Mayo, Steve Cochran, Gene Nelson, Patricia Wynne, Gordon Douglas, director

- **CARL GOTTFRED**, "The Jan Jagers," (Technicolor) with Duane Dorian, Peggy Lee, Mildred Damask, Edward Fenn, Allyn Joslyn, Michael Curtiz, director

- **WILLIAM CLARK**, "By The Light Of The Silvery Moon," (Technicolor) with Fern Det, Gordon MacRae, Rosemary DeCamp, Louis Armstrong, Mary Wickes, David Butler, director

- **ROBERT HENRY**, "I Confess," with Hans Conrady, Chas. Axton, Kermit, Karl Malden, Boris Akron, Roger Dena, Alfred Hitchcock, director

- **ANDREW STONE**, "Alma Mater," with John Wayne, Donna Reed, and Charles Coburn, Michael Curtiz, director

## Independent

- **JAMES SCOTT**, "Jeweled From Mars," (National Pictures) with Jimmy Reed, Helene Carter, Arthur Franz, Leif Erickson, William Cameron Menzies, director

- **W. H. HARRISON**, "Swords Before The Mail," (Technicolor) (Edward Small Prod.) with John Payne, Donna Reed, Gerald Mohr, Len Chasen, Sidney Selwyn, director

- **JOSEPH BAER**, "The Tall Tamer," (T. Frank Woods Prod.) with Jerald Rogers, Les Gold, Marie Windsor, Elmo Williams, director

- **JAMES SCOTT**, "Men, So To Broadway," (Cinema Prods.) with Tedesco Bark, Olivia de Havilland, Faye Emerson, R. Fenn, R. Harrison, M. Maria, Tay Garrett, director

- **KARL STROHM**, "Tales And The She Devil," (Col. Lesser Prod.) with Les Barker, Joyce MacKenzie, Karl Newman, director

- **JAMES SCOTT**, "The Thousandth Man," (Red Fox Prod.) with Jerome Wright, Macdonald Carey, Don Siegel, director

## BALANCED LIGHTING BEST FOR TV FILMS

(Continued from Page 501)

photographing films for television is to achieve proper light balance between players' faces and the set.

I have found that, by painting our sets light green, light tan, deep yellow, etc., and using wallpaper of corresponding hue, we obtain total qualities satisfactory to the microscope tube.

Just as conventional studio lighting methods must be altered to suit the medium of television, so also is it necessary to change the conventional method of checking and analyzing such films. I never screen any of my television films in the projection room. Instead, I see them on a closed television circuit, even though this method will give me a better picture than is normally seen on the home receiver. Here again the vagaries of the electronics system play a huge part in the final screen result.

I think one of the important things the TV film cameraman should always keep in mind is the fact that while we normally have a printing range of twenty-two lights on our light tests, when television films are projected from the tube, this range is reduced to but two points below and above their projection range.

Unfortunately, when good film quality is achieved in television films, there are still some factors which tend to de-

grade their quality by the time they are seen on the home receiver, with consequent criticism for the photographer. These include poor sound reproduction, image unsharpness, and lack of resolution in the image. The first two of these may be traced directly to poor projection equipment at the television stations. There is little excuse for this condition prevailing today. Witness the quality of the best film programs put on by the major networks. It is impossible today to tell film from 35mm prints if both have been made carefully and well by the laboratory technicians, and are being projected on the best available projectors made especially for the purpose.

The third factor, namely the lack of resolution, is most often attributable to poor duplicating techniques in the laboratory. In the handling of reduction prints it is necessary that even greater care be used to retain fine detail than need be used in the making of straight 35mm contact prints, in order that the end results be the same. Before criticizing the laboratory, however, the cameraman first must look to his own techniques; and this brings us back to the basic subject of this treatise—the need for more careful light balance in the photography of films for television.

## INDIA FILM TECHNICIANS

(Continued from Page 477)

pictures in India, and emphasized the important part that study of American films played in their technical education.

Producer-director D. Sahasrabudram described the difference in the working conditions of an Indian cameraman and the average director of photography in Hollywood. In India, the chief cameraman has no "assistant" or "operator" as we know them here, he explained, and said that in most cases the chief cameraman is also his own assistant, camera make, etc.—carrying his camera from setup to setup, loading the film, and shooting the picture.

Sahasrabudram, who is a member of the Cine Technicians' Association of Madras, said he was impressed with the happy spirit of cooperation that exists among members of the ASC. He extended an invitation to the Society to send one of its members to participate in India's Festival of Arts, which is to be held in Bombay sometime in December.

The visitors were especially impressed by the display of motion picture equipment in the lobby of the clubhouse,

prior to the dinner. Here they had opportunity to examine first hand the latest model Mitchell 35mm motion picture camera; the new Auricon "Super 1200" 16mm sound-on-film camera; a new compact, light-weight camera dolly, which was demonstrated by its designer Steve Kiklenovich, BKO studio sound engineer; the new Kinevox automatic sound mixer for Mitchell cameras, which was demonstrated by its designer, Len Root, ASC; and a revolutionary new 35mm automatic film splicer, introduced by Sidney Solow, ASC, head of Consolidated Film Industries. Later in the evening, Solow described some of the very interesting motion picture developments which he had found in Europe during his recent visit there.

Following the dinner, ASC members and their Indian guests were given a screen demonstration of the recently introduced Vistascope process, which involves the use of a special camera device and photo cutouts to produce action scenes without the need for constructing

## MOVIOLA

FILM EDITING EQUIPMENT  
35mm — 35MM

- PICTURE
- SOUND — Photo, and Magnetic
- SYNCHRONIZER
- REWINDERS

Model LP  
for  
16mm  
Picture

Write for  
Catalogues

MOVIOLA MANUFACTURING CO  
1451 Gordon St. • Hollywood 28, Calif.

## RUBY CAMERA EXCHANGE

Rents . . . Sells . . . Exchanges

Everything You Need for the  
**PRODUCTION & PROJECTION**  
of Motion Pictures Provided  
by a Veteran Organization  
of Specialists

35 mm. . . . 16 mm.  
Television

IN BUSINESS SINCE 1932

729 Seventh Ave., New York 19, N.Y.  
Tel. Circle 5-5640  
Cable Address: RUBYCAM

## 16mm & 8mm

Motion Picture Service

16 mm Reduced to 8 mm  
8 mm Enlarged to 16 mm  
16 mm Duplicates  
8 mm Duplicates  
Color and Black and White  
35 mm slide duplicates  
and film strip service



GEO. W. COLBURN  
LABORATORY, INC.

164 North Wacker Drive, Chicago 6, Illinois

## BARAINS

IN USED EQUIPMENT . . .  
in the classified ads pages this month!

## SPARKLING COLOR FOR YOUR PRINTS

Expert tinting by color craftsmen plus the careful attention accorded your film in our famous "personalized service" will give you unsurpassed prints whose brilliance makes them shine on the screen.

Write for information

Dept. C-11

**TELEFILM, INC.**

6938 Hollywood Boulevard  
Hollywood 28, California

## ALLIGATOR CLAMP WITH BARN DOOR



- ★ Hangs from a nail on the wall.
- ★ Clamps to a chair, door, top of set or stand.
- ★ Sets on floor as a foot light.
- ★ Adaptable to almost any camera.
- ★ Barn door, models 260\*.
- ★ For R1 - R40 or For 28 Bulbs

**Price — \$15.00**

Clamp without barn door wired  
with plug and switch — Price—\$5.00  
Clamp only Price—\$2.75

Above unit excellent for use with  
"COLORTRANS"

## SCHOEN & CROWE

408 WEST 47th STREET  
NEW YORK 24, N. Y.  
Circle 5-4691

sets (See *American Cinematographer* for August, 1952.—ED.)

The original demonstration film made by the French inventor, Achille Frenet DuFour, was screened followed by units made both in black and white and color by Paramount Studio engineers. The demonstration revealed how the actual "set" appears with the photo cutout or matt removed from the VistaScope.

Dr. Charles Dettly, Paramount Studio engineer, described the process step by step during the screening, and answered questions regarding the use of VistaScope in major film production. The Indian technicians were particularly impressed with the possibilities of applying the VistaScope to their country's film making system. According to one of the visitors, the process could end them greatly in shooting action in distant locales where now they are often hampered by transportation problems.

Each of the Indian technicians has an extensive and interesting career in motion picture production. Cameraman B. P. Deychra has photographed more than fifty Indian feature films during the last two decades. He claims to have learned most of the fine points of his profession by seriously studying the photography of film made in America. As a result, he is familiar with the names and the work of just about every director of photography in the Hollywood studios. He manages to use at least one Indian or foreign-made feature film daily, which probably makes him the leading film reviewer of his country.

Producer-director D. Subramanyam is one of the important figures in the Indian motion picture industry. He sponsored the Madras United Artist Corp., and later the Motion Picture Producers Combine Studios. He is well informed on every phase of the industry throughout the world, and believes the cameramen are of utmost importance to the success of any motion picture. His speech before the ASC members and guests was most impressive.

Art director M. R. Acharekar is the author of a number of books on art and he also founded the Art Academy in Bombay in 1945. Acharekar was commissioned by Lord Wellington, when the latter was Viceroy to India, to record Jubilee Celebration of King George V.

Mirco Katrak joined the sound recording department of Famous Cine Laboratory in Bombay in 1948, as recording director. Since then he has specialized in music recording for most of the motion pictures made by Indian independent film producers. As music predominates in most of the Indian pictures, Katrak is one of the industry's busiest men.

Producer-exhibitor E. N. Sivar established New Theatres Ltd. in Calcutta

in 1950, and has held important posts in nearly all Indian motion picture trade organizations. He was also a member of the 1949-50 Film Inquiry Committee, appointed by the Government of India.

During the Indians' visit, they were also hosted by each of the major studios of Hollywood in day-long tours of sound stages and at luncheons. Officially welcoming the visitors to Hollywood were Y. Frank Freeman, board chairman of the American Motion Picture Producers Association, and Frank Capra who recently spent eight weeks in India representing the United States at the Indian International Film Festival.

## VARIABLE SHUTTER

(Continued from Page 484)

of three swivelling bars and a control handle and other miscellaneous parts, form the unit for advancing or retarding the auxiliary shutter disk.

The accompanying illustration shows modification of exterior of the Bolex R-16 camera with the adjustment lever, indicated by the arrow A, protruding and operating in a slot, and the scale plate which shows the range of shutter opening from closed, to  $\frac{1}{8}$ ,  $\frac{1}{16}$ ,  $\frac{1}{32}$  and full open.

By proper setting of the lever, the following range of shutter speeds may be obtained:

SHUTTER SETTING	OPEN	M	M	M
1/8 (approx. per sec.)	1/8-300	1/16	1/16	1/16
1/16	1/16	1/16	1/16	1/16
1/32	1/32	1/32	1/32	1/32
1/64	1/64	1/64	1/64	1/64
1/128	1/128	1/128	1/128	1/128

Altering the shutter opening changes the amount of light reaching the film and therefore changes the exposure. In order to obtain the same exposure while increasing the shutter speed, the lens stop is increased. The procedure is reversed when decreasing the shutter speed.

For the benefit of Bolex camera owners who may be interested in the installation of a variable shutter in their cameras, Tullio Pellegrini has prepared a comprehensive booklet explaining his installation and describing in detail how various effects are achieved through its use. Address him at 1545 Lombard Street, San Francisco 25.

## Color in Newsreels

The *American Newsreel*, which is devoted entirely to events of interest to Negroes, will include one sequence in color in its reels starting October 15, according to *Showman's Trade Review*. Eastman negative-positive color film will be used and in the initial presentation will show *Colored America* at Atlantic City.



## WHAT'S NEW

\* November 1962



### **Cauldron boil . . . and kettle bubble . . .**

Difficult though they may be, situations like these do come off thanks to the care with which film and chemicals are keyed to specific photographic situation and production methods; thanks, also, to the rigid control of processing solution strength and temperature.

In this area—in production, distribution, and exhibition, too—representatives of the Eastman Technical Service for Motion Picture Film are proud to serve the industry.

To maintain this service, the Eastman Kodak Company has branches at strategic centers . . . invites inquiry from all members of the industry. Address: Motion Picture Film Department, Eastman Kodak Company, Rochester 4, N. Y. East Coast Division, 342 Madison Avenue, New York 17, N. Y. Midwest Division, 137 North Wabash Avenue, Chicago 2, Illinois. West Coast Division, 6706 Santa Monica Blvd., Hollywood 38, California.



## Now you can make low-cost sound movies

Now Bell & Howell brings the making of sound movies within your reach. Here is the new 16mm Filmosound 202 — not just a sound movie projector — not just a magnetic sound recorder — but a combination of both for making and showing sound movies. You need no expert knowledge, no costly professional equipment.

With the Filmosound 202, narration and sound effects to accompany the film can be recorded just the way you

want them . . . while all details are fresh in your mind. Changes in the sound can be made when and as often as you want them. Only with magnetic sound movies is this possible at but the cost of the film and soundtrack.

Now you can add sound to old silent films . . . new sound to a film with an obsolete sound track. Use coupon for full details on magnetic sound movies and the new Filmosound 202. Or see your Bell & Howell dealer today!



Record voice and sound effects, and mix voice with musical background, as picture is projected. All recording errors can be easily and quickly corrected. Magnetic recording will last for life of the film, yet can be changed instantly.



You're ready to project movies with sound immediately after you record. Later, to change the sound, erase and record again in one single step. Remember, your Filmosound 202 will project any 16mm film, silent or sound.

the sensational, new 16mm

# Filmosound "202"

## RECORDING PROJECTOR

Guaranteed for life. During the life of the product, any defect in material or workmanship will be remedied free (except transportation.)

-----  
Bell & Howell Company,  
7140 McCord Rd., Chicago 46, Illinois

Please send me without cost or obligation full information on making low-cost sound movies with the new Filmosound 202.

Name \_\_\_\_\_

Address \_\_\_\_\_

Organization (if any) \_\_\_\_\_

City \_\_\_\_\_ County \_\_\_\_\_ State \_\_\_\_\_

You buy for life

when you buy

# Bell & Howell